



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4779	C3548-06	10,5	3	35	50	APC-SF	10	7	689	79%	6.109	18,21	924
4779		10,5	3	35	50	APC-E	11	10	689	79%	5.901	21,12	962
4779		10,5	3	35	50	APC-Sport	11	11	689	79%	5.894	21,22	926
4779		10,5	3	35	50	APC-Sport	12	6	689	79%	6.197	16,96	1183
4779		10,5	3	35	50	APC-Sport	12	7	689	79%	6.159	17,5	0
4779		10,5	3	35	50	AeroCAM	12	8	689	79%	6.140	17,77	1224
4779		10,5	3	35	50	APC-E	12	8	689	79%	6.139	17,78	1139
4779		10,5	3	35	50	APC-Sport	12	8	689	79%	5.931	20,7	0
4779		10,5	3	35	50	AeroCAM	12	9	689	79%	5.958	20,32	1247
4779		10,5	3	35	50	APC-Sport	12	9	689	79%	6.023	19,4	1073
4779		10,5	3	35	50	APC-E	12	10	689	79%	5.735	23,44	906
4779		10,5	3	35	50	APC-Sport	12	10	689	79%	5.768	22,99	1126
4779		10,5	3	35	50	APC-E	12	12	689	79%	5.478	27,05	1115
4779		10,5	3	35	50	AeroCAM	12,5	7,5	689	79%	5.967	20,19	1216
4779		10,5	3	35	50	AeroCarbon	12,5	10	689	79%	6.174	17,29	1333
4779		10,5	3	35	50	APC-Sport	13	6	689	79%	6.107	18,22	1387
4779		10,5	3	35	50	AeroCarbon-42mm	13	6,5	689	79%	6.131	17,88	1124
4779		10,5	3	35	50	APC-E	13	6,5	689	79%	6.008	19,61	1214
4779		10,5	3	35	50	APC-Sport	13	7	689	79%	5.973	20,1	1365
4779		10,5	3	35	50	Graupner-CAM	13	7	689	79%	6.077	18,64	1099
4779		10,5	3	35	50	AeroCAM	13	8	689	79%	6.012	19,56	1533
4779		10,5	3	35	50	APC-E	13	8	689	79%	5.899	21,14	1347
4779		10,5	3	35	50	APC-Sport	13	8	689	79%	5.820	22,25	1357
4779		10,5	3	35	50	APC-E	13	10	689	79%	5.585	25,56	1161
4779		10,5	3	35	50	APC-Sport	13	10	689	79%	5.413	27,97	1371
4779		10,5	3	35	50	AeroCAM	13	11	689	79%	5.557	25,95	1619
4779		10,5	3	35	50	APC-Sport	13	12	689	79%	5.380	28,43	1263
4779		10,5	3	35	50	APC-Sport	13	13	689	79%	5.178	31,26	1275
4779		10,5	3	35	50	AeroCarbon	13,5	7	689	79%	5.876	21,47	1230
4779		10,5	3	35	50	APC-Sport	13,5	14	689	79%	4.997	33,81	1320
4779		10,5	3	35	50	AeroCarbon	14	7	689	79%	5.694	24,03	1304
4779		10,5	3	35	50	APC-E	14	7	689	79%	5.720	23,67	1494
4779		10,5	3	35	50	AeroCAM	14	8	689	79%	5.367	28,61	1564
4779		10,5	3	35	50	APC-Sport	14	8	689	79%	5.530	26,33	1623
4779		10,5	3	35	50	AeroCAM	14	9	689	79%	5.202	30,93	1589
4779		10,5	3	35	50	AeroCAM	14	10	689	79%	5.020	33,49	1588
4779		10,5	3	35	50	APC-E	14	10	689	79%	5.271	29,96	1396
4779		10,5	3	35	50	APC-Sport	14	10	689	79%	5.136	31,85	1588
4779		10,5	3	35	50	APC-Sport	14	12	689	79%	4.976	34,09	1493
4779		10,5	3	35	50	AeroCAM	15	8	689	79%	5.359	28,72	1963
4779		10,5	3	35	50	APC-Sport	15	8	689	79%	5.220	30,67	1894
4779		10,5	3	35	50	AeroCarbon	15	9,5	689	79%	5.367	28,61	1787
4779		10,5	3	35	50	AeroCAM	15	10	689	79%	4.976	34,1	1963
4779		10,5	3	35	50	APC-Sport	15	10	689	79%	4.944	34,55	1781
4779		10,5	3	35	50	AeroCAM	16	8	689	79%	5.157	31,56	2254
4779		10,5	3	35	50	GWS-HD	12	8	689	79%	6.142	17,74	1216
4779		10,5	3	35	50	Graupner-CAM-55mm	13	7	689	79%	5.970	20,16	1116
4779		10,5	3	35	50	AeroCAM-45mm	12	8	689	79%	6.161	17,47	1187
4779		10,5	3	35	50	AeroCAM-60mm	13	8	689	79%	5.823	22,22	1577
4779		10,5	3	35	50	AeroCAM-60mm	12	10	689	79%	5.515	26,53	1195
4779		10,5	3	35	50	AeroCAM-55mm	13	8	689	79%	5.822	22,23	1538
4779		10,5	3	35	50	Graupner-CAM-52mm	13	7	689	79%	5.979	20,02	1126
4779		10,5	3	35	50	Graupner-CAM-52mm	13	11	689	79%	5.505	26,68	1277
4779		10,5	3	35	50	Graupner-CAM-45mm	12	10	689	79%	5.701	23,93	1151
4779		10,5	3	35	50	AeroCAM-45mm	12	10	689	79%	5.855	21,76	1072
4779		10,5	3	35	50	AeroCAM-3-Blade	15	8	689	79%	5.096	32,41	2483
4779		10,5	3	35	50	APC-E	14	8,5	689	79%	5.689	24,1	1463
4779		10,5	3	35	50	APC-Pattern	13	9	689	79%	5.766	23,01	1302
4779		10,5	3	35	50	APC-E-v2	12	10	689	79%	5.830	22,11	938
4779		10,5	3	35	50	AeroCarbon-55mm	13	6,5	689	79%	5.437	27,63	945
4779		10,5	3	35	50	APC-E	15	8	689	79%	5.220	30,67	1767
4779		10,5	3	35	50	APC-E	13	6	689	79%	6.102	18,3	1318
4779		17,5	5	35	50	Graupner-Slim	9	6	699	81%	10.314	23,82	1257
4779		17,5	5	35	50	APC-E	9	7,5	699	81%	10.447	22,4	1408
4779		17,5	5	35	50	APC-E	9	9	699	81%	10.105	26,06	1482
4779		17,5	5	35	50	AeroCarbon	10	7	699	81%	10.459	22,27	1746
4779		17,5	5	35	50	Aeronaut-E-Prop	10	7	699	81%	10.333	23,62	1192
4779		17,5	5	35	50	APC-E	10	7	699	81%	10.151	25,56	1693
4779		17,5	5	35	50	APC-Sport	10	7	699	81%	10.298	24	1627
4779		17,5	5	35	50	AeroCAM	10	8	699	81%	10.087	26,24	1800
4779		17,5	5	35	50	Aeronaut-E-Prop	10	8	699	81%	9.826	29,03	1678
4779		17,5	5	35	50	APC-Sport	10	8	699	81%	10.031	26,85	1632
4779		17,5	5	35	50	APC-Sport	10	9	699	81%	9.696	30,42	1654
4779		17,5	5	35	50	APC-E	10	10	699	81%	9.417	33,41	1641
4779		17,5	5	35	50	AeroCarbon	10,5	6	699	81%	10.122	25,87	1425
4779		17,5	5	35	50	Aeronaut-E-Prop	10,5	6	699	81%	10.253	24,47	1851
4779		17,5	5	35	50	Aeronaut-E-Prop	10,5	7	699	81%	10.170	25,36	1751
4779		17,5	5	35	50	Aeronaut-E-Prop	10,5	8	699	81%	9.998	27,19	1710
4779		17,5	5	35	50	APC-E	11	5,5	699	81%	10.068	26,45	1999



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4779		17,5	5	35	50	APC-Sport	11	6	699	81%	9.941	27,81	2145
4779		17,5	5	35	50	AeroCarbon	11	6,5	699	81%	9.834	28,95	1657
4779		17,5	5	35	50	AeroCAM	11	7	699	81%	9.781	29,52	2127
4779		17,5	5	35	50	APC-E	11	7	699	81%	9.656	30,86	2135
4779		17,5	5	35	50	APC-Sport	11	7	699	81%	9.449	33,06	2195
4779		17,5	5	35	50	AeroCAM	11	8	699	81%	9.843	28,85	2355
4779		17,5	5	35	50	APC-E	11	8	699	81%	9.368	33,93	1862
4779		17,5	5	35	50	APC-Sport	11	8	699	81%	9.323	34,42	2046
4779		17,5	5	35	50	APC-E	11	8,5	699	81%	9.409	33,49	2229
4779		17,5	5	35	50	AeroCarbon	11,5	7	699	81%	9.541	32,08	1900
4779		17,5	5	35	50	APC-Sport	12	6	699	81%	9.486	32,67	2509
4779		17,5	5	35	50	AeroCAM	12	6,5	699	81%	9.625	31,18	2620
4779		17,5	5	35	50	AeroCarbon	12	7	699	81%	9.669	30,72	2249
4779		17,5	5	35	50	Graupner-CAM	12	7	699	81%	10.021	26,96	2094
4779		17,5	5	35	50	Graupner-CAM	12,5	4	699	81%	10.250	24,51	2097
4779		17,5	5	35	50	AeroCarbon	12,5	6,5	699	81%	9.309	34,56	2273
4779		17,5	5	35	50	APC-E	13	4	699	81%	9.662	30,79	2708
4779		17,5	5	35	50	Graupner-CAM	14,5	4	699	81%	9.285	34,81	2912
4779		17,5	5	35	50	AeroCAM	11	6	699	81%	10.000	27,18	2223
4779		17,5	5	35	50	APC-Sport	11	5	699	81%	10.306	23,91	2148
4779		17,5	5	35	50	Graupner-CAM-45mm	11	6	699	81%	10.158	25,49	2039
4779		17,5	5	35	50	AeroCAM-45mm	10	8	699	81%	10.011	27,06	1808
4779		17,5	5	35	50	CFK-Folder-45mm	12	6	699	81%	9.953	27,68	2372
4779		17,5	5	35	50	Graupner-CAM-55mm	10	6	699	81%	10.480	22,04	1633
4779		17,5	5	35	50	Graupner-CAM-50mm	10	6	699	81%	10.209	24,94	1768
4779		17,5	5	35	50	AeroCarbon-45mm	10,5	6	699	81%	10.122	25,87	1430
4779		17,5	5	35	50	Rasa	12	6	699	81%	9.998	27,2	2305
4779		17,5	5	35	50	APC-E	12	6	699	81%	9.375	33,86	2500
4779		17,5	5	35	50	EPP1045	10	4,5	699	81%	9.815	29,15	1747
4779		17,5	5	35	50	Master-Aircsrew-std.-wood	10	7	699	81%	10.022	26,94	1757
4779		17,5	5	35	50	Master-Aircsrew-std.-wood	10	8	699	81%	9.792	29,4	1729
4779		17,5	5	35	50	Master-Aircsrew-std.-wood	11	7	699	81%	9.510	32,42	2181
4779		17,5	5	35	50	parkzone-T-28	9,5	7,5	699	81%	10.195	25,09	1530
4779		14	4	35	50	APC-E	9	9	700	80%	8.377	18,9	989
4779		14	4	35	50	AeroCAM	10	8	700	80%	8.400	18,64	1248
4779		14	4	35	50	Aeronaut-E-Prop	10	8	700	80%	8.200	20,92	1169
4779		14	4	35	50	APC-Sport	10	8	700	80%	8.345	19,27	1130
4779		14	4	35	50	APC-Sport	10	9	700	80%	8.107	21,98	1156
4779		14	4	35	50	APC-E	10	10	700	80%	7.883	24,54	1163
4779		14	4	35	50	AeroCarbon	10,5	6	700	80%	8.424	18,37	987
4779		14	4	35	50	Aeronaut-E-Prop	10,5	8	700	80%	8.322	19,53	1184
4779		14	4	35	50	APC-E	11	5,5	700	80%	8.403	18,6	1373
4779		14	4	35	50	APC-Sport	11	6	700	80%	8.283	19,98	1498
4779		14	4	35	50	AeroCarbon	11	6,5	700	80%	8.222	20,67	1158
4779		14	4	35	50	AeroCAM	11	7	700	80%	8.182	21,12	1489
4779		14	4	35	50	APC-E	11	7	700	80%	8.121	21,82	1473
4779		14	4	35	50	APC-Sport	11	7	700	80%	7.930	24,01	1545
4779		14	4	35	50	AeroCAM	11	8	700	80%	8.201	20,91	1635
4779		14	4	35	50	APC-E	11	8	700	80%	7.914	24,19	1345
4779		14	4	35	50	APC-Sport	11	8	700	80%	7.850	24,91	1451
4779		14	4	35	50	APC-E	11	8,5	700	80%	7.992	23,3	1544
4779		14	4	35	50	APC-E	11	10	700	80%	7.245	31,82	1491
4779		14	4	35	50	APC-Sport	11	11	700	80%	7.295	31,25	1419
4779		14	4	35	50	AeroCarbon	11,5	7	700	80%	8.013	23,06	1340
4779		14	4	35	50	APC-Sport	12	6	700	80%	7.890	24,46	1812
4779		14	4	35	50	AeroCAM	12	6,5	700	80%	8.073	22,37	1843
4779		14	4	35	50	AeroCarbon	12	7	700	80%	8.104	22,02	1580
4779		14	4	35	50	APC-Sport	12	7	700	80%	7.735	26,23	0
4779		14	4	35	50	Graupner-CAM	12	7	700	80%	8.350	19,22	1410
4779		14	4	35	50	AeroCAM	12	8	700	80%	7.703	26,6	1927
4779		14	4	35	50	APC-E	12	8	700	80%	7.694	26,7	1773
4779		14	4	35	50	APC-Sport	12	8	700	80%	7.355	30,56	0
4779		14	4	35	50	AeroCAM	12	9	700	80%	7.375	30,34	1911
4779		14	4	35	50	APC-Sport	12	9	700	80%	7.505	28,85	1665
4779		14	4	35	50	APC-E	12	10	700	80%	6.980	34,84	1370
4779		14	4	35	50	APC-Sport	12	10	700	80%	7.090	33,59	1704
4779		14	4	35	50	AeroCarbon	12,5	6,5	700	80%	7.845	24,97	1614
4779		14	4	35	50	AeroCAM	12,5	7,5	700	80%	7.445	29,54	1916
4779		14	4	35	50	AeroCarbon	12,5	10	700	80%	7.737	26,2	2093
4779		14	4	35	50	APC-E	13	4	700	80%	8.124	21,79	1849
4779		14	4	35	50	APC-Sport	13	6	700	80%	7.648	27,22	2175
4779		14	4	35	50	AeroCarbon-42mm	13	6,5	700	80%	7.664	27,03	1756
4779		14	4	35	50	APC-E	13	6,5	700	80%	7.405	30	1857
4779		14	4	35	50	APC-Sport	13	7	700	80%	7.424	29,77	2116
4779		14	4	35	50	Graupner-CAM	13	7	700	80%	7.573	28,08	1743
4779		14	4	35	50	AeroCAM	13	8	700	80%	7.464	29,32	2363
4779		14	4	35	50	APC-E	13	8	700	80%	7.242	31,85	2148
4779		14	4	35	50	APC-Sport	13	8	700	80%	7.178	32,58	2061
4779		14	4	35	50	AeroCarbon	13,5	7	700	80%	7.241	31,87	1868
4779		14	4	35	50	APC-E	14	7	700	80%	6.992	34,71	2305
4779		14	4	35	50	Graupner-CAM	14,5	4	700	80%	7.825	25,21	2030
4779		14	4	35	50	GWS-HD	11	7	700	80%	8.290	19,89	1570
4779		14	4	35	50	GWS-HD	12	8	700	80%	7.699	26,64	1929
4779		14	4	35	50	AeroCAM	11	6	700	80%	8.323	19,52	1540
4779		14	4	35	50	Graupner-CAM-55mm	13	7	700	80%	7.418	29,84	1723
4779		14	4	35	50	Graupner-CAM-45mm	11	6	700	80%	8.434	18,26	1406



Brushless Motors

No.	Motormame	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
4779		14	4	35	50	AeroCAM-45mm	10	8	700	80%	8.331	19,43	1252
4779		14	4	35	50	AeroCAM-45mm	12	8	700	80%	7.720	26,4	1864
4779		14	4	35	50	CFK-Folder-45mm	12	6	700	80%	8.289	19,9	1646
4779		14	4	35	50	AeroCAM-60mm	13	8	700	80%	7.180	32,57	2398
4779		14	4	35	50	AeroCAM-55mm	13	8	700	80%	7.178	32,59	2338
4779		14	4	35	50	Graupner-CAM-52mm	13	7	700	80%	7.434	29,66	1741
4779		14	4	35	50	AeroCarbon-45mm	10,5	6	700	80%	8.424	18,37	990
4779		14	4	35	50	AeroCAM-45mm	12	10	700	80%	7.231	31,97	1635
4779		14	4	35	50	Rasa	12	6	700	80%	8.322	19,53	1597
4779		14	4	35	50	APC-E	12	6	700	80%	7.948	23,79	1751
4779		14	4	35	50	APC-Pattern	13	9	700	80%	7.089	33,6	1968
4779		14	4	35	50	APC-E-v2	12	10	700	80%	7.176	32,6	1453
4779		14	4	35	50	EPP1045	10	4,5	700	80%	8.196	20,97	1197
4779		14	4	35	50	Master-Aircscrew-std.-wood	10	7	700	80%	8.339	19,34	1216
4779		14	4	35	50	Master-Aircscrew-std.-wood	10	8	700	80%	8.175	21,21	1206
4779		14	4	35	50	Master-Aircscrew-std.-wood	11	7	700	80%	7.973	23,51	1533
4779		14	4	35	50	APC-E	13	6	700	80%	7.638	27,33	2066