



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
477934	C 2827-34	10,5	3	9	10	GWS-RS	7	6	755	78%	6.849	3,99	274
477934		10,5	3	9	10	AeroCarbon	8	5	755	78%	6.882	3,88	236
477934		10,5	3	9	10	APC-E	8	6	755	78%	6.482	5,25	323
477934		10,5	3	9	10	APC-SF	8	6	755	78%	6.215	6,16	393
477934		10,5	3	9	10	Graupner-Slim	8	6	755	78%	6.487	5,23	304
477934		10,5	3	9	10	GWS-RS	8	6	755	78%	6.438	5,4	342
477934		10,5	3	9	10	APC-E	8	8	755	78%	6.147	6,39	316
477934		10,5	3	9	10	Aeronaut-E-Prop	8,5	6	755	78%	6.707	4,48	321
477934		10,5	3	9	10	Aeronaut-E-Prop	8,5	7	755	78%	6.410	5,49	337
477934		10,5	3	9	10	APC-SF	9	3,8	755	78%	6.567	4,96	467
477934		10,5	3	9	10	APC-E	9	4,5	755	78%	6.630	4,74	421
477934		10,5	3	9	10	APC-SF	9	4,7	755	78%	6.367	5,64	450
477934		10,5	3	9	10	GWS-RS	9	4,7	755	78%	6.380	5,59	455
477934		10,5	3	9	10	AeroCAM	9	5	755	78%	6.551	5,01	391
477934		10,5	3	9	10	GWS-HD	9	5	755	78%	6.626	4,75	436
477934		10,5	3	9	10	Graupner-Slim	9	6	755	78%	5.790	7,6	403
477934		10,5	3	9	10	AeroCarbon	9	6,5	755	78%	6.046	6,73	321
477934		10,5	3	9	10	GWS-RS	9	7	755	78%	5.830	7,47	534
477934		10,5	3	9	10	APC-Sport	9	8	755	78%	5.921	7,16	390
477934		10,5	3	9	10	AeroCAM	9,5	5	755	78%	6.300	5,87	433
477934		10,5	3	9	10	AeroCarbon	9,5	5	755	78%	6.485	5,24	371
477934		10,5	3	9	10	Aeronaut-E-Prop	9,5	5	755	78%	6.302	5,86	470
477934		10,5	3	9	10	Aeronaut-E-Prop	9,5	6	755	78%	6.240	6,07	433
477934		10,5	3	9	10	Aeronaut-E-Prop	9,5	7	755	78%	5.975	6,98	435
477934		10,5	3	9	10	APC-E	10	5	755	78%	6.179	6,28	520
477934		10,5	3	9	10	APC-Sport	10	5	755	78%	6.001	6,89	553
477934		10,5	3	9	10	AeroCAM	10	6	755	78%	6.198	6,22	561
477934		10,5	3	9	10	Aeronaut-E-Prop	10	6	755	78%	6.016	6,83	494
477934		10,5	3	9	10	APC-Sport	10	6	755	78%	5.889	7,27	518
477934		10,5	3	9	10	Graupner-CAM	11	4	755	78%	6.118	6,49	527
477934		10,5	3	9	10	Graupner-CAM	12	4	755	78%	6.081	6,61	537
477934		10,5	3	9	10	Graupner-CAM	12,5	4	755	78%	5.823	7,49	617
477934		10,5	3	9	10	GWS-HD	10	6	755	78%	6.085	6,6	514
477934		10,5	3	9	10	Graupner-Slim	8	4	755	78%	6.487	5,23	229
477934		10,5	3	9	10	STO	9	4,3	755	78%	6.063	6,68	519
477934		10,5	3	9	10	Graupner-CAM-45mm	8	6	755	78%	6.503	5,17	333
477934		10,5	3	9	10	Graupner-CAM-45mm	9	6	755	78%	6.329	5,77	407
477934		10,5	3	9	10	Graupner-CAM-45mm	10	6	755	78%	6.051	6,72	498
477934		10,5	3	9	10	Aero-Glass	9,5	5	755	78%	6.527	5,09	442
477934		10,5	3	9	10	AeroCAM-45mm	9	5	755	78%	6.246	6,05	363
477934		10,5	3	9	10	Aeronaut-E-Prop	9	5	755	78%	6.148	6,39	470
477934		10,5	3	9	10	Graupner-CAM-55mm	8	6	755	78%	6.310	5,83	350
477934		10,5	3	9	10	Graupner-CAM-55mm	10	6	755	78%	5.868	7,34	512
477934		10,5	3	9	10	AeroCAM-55mm	9	5	755	78%	6.208	6,18	384
477934		10,5	3	9	10	CFK-Folder	6	6	755	78%	6.240	6,07	260
477934		10,5	3	9	10	AeroCAM-45mm	10	6	755	78%	5.972	6,99	524
477934		10,5	3	9	10	Aeronaut-glass	9,5	5	755	78%	6.384	5,58	422
477934		10,5	3	9	10	APC-E	9	6	755	78%	6.226	6,12	453
477934		10,5	3	9	10	AeroCarbon	9,5	5	755	78%	6.563	4,97	388
477934		10,5	3	9	10	AeroCAM	9	7	755	78%	6.168	6,32	400
477934		10,5	3	9	10	Graupner-CAM-Folder	9	6	755	78%	6.415	5,48	400
477934		7	2	9	10	APC-SF	8	6	747	76%	4.517	3,09	191
477934		7	2	9	10	APC-E	8	8	747	76%	4.454	3,34	160
477934		7	2	9	10	Aeronaut-E-Prop	8,5	7	747	76%	4.553	2,95	170
477934		7	2	9	10	APC-SF	9	4,7	747	76%	4.529	3,05	230
477934		7	2	9	10	GWS-RS	9	4,7	747	76%	4.534	3,03	233
477934		7	2	9	10	Graupner-Slim	9	6	747	76%	4.246	4,15	218
477934		7	2	9	10	AeroCarbon	9	6,5	747	76%	4.380	3,63	168
477934		7	2	9	10	GWS-RS	9	7	747	76%	4.255	4,11	275
477934		7	2	9	10	GWS-RS-3-Blade	9	7	747	76%	4.096	4,73	270
477934		7	2	9	10	APC-E	9	7,5	747	76%	4.190	4,37	201
477934		7	2	9	10	APC-SF	9	7,5	747	76%	4.055	4,89	263
477934		7	2	9	10	APC-Sport	9	8	747	76%	4.297	3,95	206
477934		7	2	9	10	APC-E	9	9	747	76%	4.014	5,05	202
477934		7	2	9	10	AeroCAM	9,5	5	747	76%	4.512	3,11	222
477934		7	2	9	10	Aeronaut-E-Prop	9,5	5	747	76%	4.499	3,16	239
477934		7	2	9	10	Aeronaut-E-Prop	9,5	6	747	76%	4.466	3,29	212
477934		7	2	9	10	Aeronaut-E-Prop	9,5	7	747	76%	4.326	3,84	228
477934		7	2	9	10	APC-SF	10	4,7	747	76%	4.221	4,24	316
477934		7	2	9	10	GWS-RS	10	4,7	747	76%	4.156	4,5	314
477934		7	2	9	10	APC-E	10	5	747	76%	4.470	3,28	261
477934		7	2	9	10	APC-Sport	10	5	747	76%	4.339	3,78	289
477934		7	2	9	10	AeroCAM	10	6	747	76%	4.459	3,32	290
477934		7	2	9	10	Aeronaut-E-Prop	10	6	747	76%	4.348	3,75	258
477934		7	2	9	10	APC-Sport	10	6	747	76%	4.278	4,02	273
477934		7	2	9	10	AeroCarbon	10	7	747	76%	4.146	4,54	239
477934		7	2	9	10	Aeronaut-E-Prop	10	7	747	76%	4.194	4,35	199
477934		7	2	9	10	APC-E	10	7	747	76%	4.219	4,25	267
477934		7	2	9	10	APC-SF	10	7	747	76%	3.693	6,3	324



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
477934		7	2	9	10	APC-Sport	10	7	747	76%	4.178	4,41	268
477934		7	2	9	10	AeroCAM	10	8	747	76%	4.125	4,62	301
477934		7	2	9	10	Aeronaut-E-Prop	10	8	747	76%	3.947	5,31	271
477934		7	2	9	10	APC-Sport	10	8	747	76%	4.046	4,92	266
477934		7	2	9	10	GWS-RS	10	8	747	76%	3.972	5,21	361
477934		7	2	9	10	APC-Sport	10	9	747	76%	3.885	5,55	266
477934		7	2	9	10	APC-E	10	10	747	76%	3.676	6,37	266
477934		7	2	9	10	AeroCarbon	10,5	6	747	76%	4.141	4,55	239
477934		7	2	9	10	Aeronaut-E-Prop	10,5	6	747	76%	4.155	4,5	303
477934		7	2	9	10	Aeronaut-E-Prop	10,5	7	747	76%	4.114	4,66	287
477934		7	2	9	10	Aeronaut-E-Prop	10,5	8	747	76%	4.030	4,99	277
477934		7	2	9	10	APC-SF	11	3,8	747	76%	4.152	4,51	331
477934		7	2	9	10	Graupner-CAM	11	4	747	76%	4.409	3,51	273
477934		7	2	9	10	APC-SF	11	4,7	747	76%	4.019	5,03	381
477934		7	2	9	10	GWS-RS	11	4,7	747	76%	3.895	5,51	372
477934		7	2	9	10	APC-E	11	5,5	747	76%	4.171	4,44	320
477934		7	2	9	10	APC-Sport	11	6	747	76%	4.009	5,07	360
477934		7	2	9	10	AeroCarbon	11	6,5	747	76%	4.006	5,08	275
477934		7	2	9	10	AeroCAM	11	7	747	76%	3.976	5,2	351
477934		7	2	9	10	APC-E	11	7	747	76%	4.009	5,07	324
477934		7	2	9	10	APC-SF	11	7	747	76%	3.587	6,71	362
477934		7	2	9	10	APC-Sport	11	7	747	76%	3.770	6	349
477934		7	2	9	10	AeroCAM	11	8	747	76%	3.917	5,43	373
477934		7	2	9	10	APC-E	11	8	747	76%	3.874	5,6	340
477934		7	2	9	10	APC-Sport	11	8	747	76%	3.755	6,06	332
477934		7	2	9	10	APC-E	11	8,5	747	76%	4.044	4,93	335
477934		7	2	9	10	APC-E	11	10	747	76%	3.475	7,15	311
477934		7	2	9	10	APC-Sport	11	11	747	76%	3.377	7,53	304
477934		7	2	9	10	AeroCarbon	11,5	7	747	76%	3.869	5,61	313
477934		7	2	9	10	APC-SF	12	3,8	747	76%	3.800	5,88	391
477934		7	2	9	10	Graupner-CAM	12	4	747	76%	4.415	3,49	268
477934		7	2	9	10	APC-SF	12	6	747	76%	3.321	7,75	437
477934		7	2	9	10	APC-Sport	12	6	747	76%	3.554	6,84	443
477934		7	2	9	10	GWS-RS	12	6	747	76%	3.483	7,11	473
477934		7	2	9	10	AeroCAM	12	6,5	747	76%	3.908	5,46	432
477934		7	2	9	10	AeroCarbon	12	7	747	76%	3.929	5,38	371
477934		7	2	9	10	APC-Sport	12	7	747	76%	3.646	6,48	0
477934		7	2	9	10	Graupner-CAM	12	7	747	76%	4.082	4,79	299
477934		7	2	9	10	AeroCAM	12	8	747	76%	3.625	6,56	427
477934		7	2	9	10	APC-E	12	8	747	76%	3.636	6,52	408
477934		7	2	9	10	APC-Sport	12	8	747	76%	3.412	7,39	0
477934		7	2	9	10	AeroCAM	12	9	747	76%	3.476	7,14	425
477934		7	2	9	10	APC-Sport	12	9	747	76%	3.506	7,02	364
477934		7	2	9	10	APC-E	12	10	747	76%	3.324	7,73	287
477934		7	2	9	10	APC-Sport	12	10	747	76%	3.260	7,98	359
477934		7	2	9	10	Graupner-CAM	12,5	4	747	76%	4.290	3,98	319
477934		7	2	9	10	AeroCarbon	12,5	6,5	747	76%	3.763	6,03	371
477934		7	2	9	10	AeroCAM	12,5	7,5	747	76%	3.402	7,43	383
477934		7	2	9	10	AeroCarbon	12,5	10	747	76%	3.696	6,29	478
477934		7	2	9	10	APC-E	13	4	747	76%	4.005	5,08	390
477934		7	2	9	10	APC-Sport	13	6	747	76%	3.591	6,7	479
477934		7	2	9	10	AeroCarbon-42mm	13	6,5	747	76%	3.651	6,46	399
477934		7	2	9	10	APC-E	13	6,5	747	76%	3.603	6,65	428
477934		7	2	9	10	APC-Sport	13	7	747	76%	3.455	7,23	453
477934		7	2	9	10	Graupner-CAM	13	7	747	76%	3.595	6,68	366
477934		7	2	9	10	AeroCAM	13	8	747	76%	3.530	6,93	528
477934		7	2	9	10	APC-E	13	8	747	76%	3.474	7,15	404
477934		7	2	9	10	APC-Sport	13	8	747	76%	3.303	7,82	439
477934		7	2	9	10	APC-E	13	10	747	76%	3.193	8,24	366
477934		7	2	9	10	AeroCAM	13	11	747	76%	3.111	8,56	508
477934		7	2	9	10	AeroCarbon	13,5	7	747	76%	3.398	7,45	411
477934		7	2	9	10	AeroCarbon	14	7	747	76%	3.230	8,1	420
477934		7	2	9	10	APC-E	14	7	747	76%	3.251	8,02	442
477934		7	2	9	10	APC-Sport	14	8	747	76%	3.046	8,82	492
477934		7	2	9	10	Graupner-CAM	14,5	4	747	76%	3.741	6,11	428
477934		7	2	9	10	GWS-HD	10	6	747	76%	4.391	3,58	264
477934		7	2	9	10	GWS-HD	11	7	747	76%	4.002	5,09	349
477934		7	2	9	10	GWS-HD	12	8	747	76%	3.638	6,51	417
477934		7	2	9	10	AeroCAM	11	6	747	76%	4.031	4,98	361
477934		7	2	9	10	APC-Sport	11	5	747	76%	4.181	4,4	353
477934		7	2	9	10	Graupner-CAM-55mm	13	7	747	76%	3.450	7,24	373
477934		7	2	9	10	Graupner-CAM-45mm	11	6	747	76%	4.108	4,68	334
477934		7	2	9	10	AeroCAM-45mm	10	8	747	76%	4.037	4,96	294
477934		7	2	9	10	STO	9	4,3	747	76%	4.373	3,65	270
477934		7	2	9	10	AeroCAM-45mm	12	8	747	76%	3.674	6,37	422
477934		7	2	9	10	CFK-Folder-45mm	12	6	747	76%	4.008	5,07	385
477934		7	2	9	10	Graupner-CAM-45mm	9	6	747	76%	4.512	3,11	207
477934		7	2	9	10	Graupner-CAM-45mm	10	6	747	76%	4.367	3,68	259
477934		7	2	9	10	AeroCAM-45mm	9	5	747	76%	4.469	3,28	186
477934		7	2	9	10	Aeronaut-E-Prop	9	5	747	76%	4.418	3,48	243
477934		7	2	9	10	AeroCAM-60mm	13	8	747	76%	3.309	7,79	509
477934		7	2	9	10	AeroCAM-60mm	12	10	747	76%	3.034	8,86	362
477934		7	2	9	10	Graupner-CAM-55mm	8	6	747	76%	4.502	3,15	178
477934		7	2	9	10	Graupner-CAM-55mm	10	6	747	76%	4.268	4,06	271
477934		7	2	9	10	AeroCAM-55mm	9	5	747	76%	4.450	3,35	197
477934		7	2	9	10	AeroCAM-55mm	13	8	747	76%	3.308	7,8	496



Brushless Motors

No.	Motormame	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
477934		7	2	9	10	Graupner-CAM-52mm	13	7	747	76%	3.460	7,21	377
477934		7	2	9	10	Graupner-CAM-52mm	13	11	747	76%	3.025	8,9	386
477934		7	2	9	10	CFK-Folder	6	6	747	76%	4.466	3,29	133
477934		7	2	9	10	Graupner-CAM-45mm	12	10	747	76%	3.197	8,23	362
477934		7	2	9	10	Graupner-CAM-45mm	11	8	747	76%	4.019	5,03	300
477934		7	2	9	10	Graupner-CAM-45mm	10	8	747	76%	3.797	5,89	284
477934		7	2	9	10	AeroCAM-45mm	10	6	747	76%	4.324	3,84	275
477934		7	2	9	10	Aeronaut-glass	9,5	5	747	76%	4.540	3	214
477934		7	2	9	10	Graupner-CAM-50mm	10	6	747	76%	4.133	4,59	290
477934		7	2	9	10	AeroCarbon-45mm	10,5	6	747	76%	4.141	4,55	239
477934		7	2	9	10	AeroCAM-45mm	12	10	747	76%	3.339	7,68	349
477934		7	2	9	10	Rasa	12	6	747	76%	4.030	4,99	375
477934		7	2	9	10	APC-E	12	6	747	76%	3.973	5,21	392
477934		7	2	9	10	APC-SF	9	6	747	76%	4.275	4,03	284
477934		7	2	9	10	APC-E	9	6	747	76%	4.471	3,27	232
477934		7	2	9	10	APC-E	14	8,5	747	76%	3.283	7,89	487
477934		7	2	9	10	APC-Pattern	13	9	747	76%	3.256	8	415
477934		7	2	9	10	APC-E-v2	12	10	747	76%	3.340	7,67	290
477934		7	2	9	10	AeroCarbon-55mm	13	6,5	747	76%	3.029	8,88	293
477934		7	2	9	10	EPP1045	10	4,5	747	76%	3.954	5,28	259
477934		7	2	9	10	Master-Aircsrew-std.-wood	10	7	747	76%	4.042	4,94	285
477934		7	2	9	10	Master-Aircsrew-std.-wood	10	8	747	76%	3.931	5,37	279
477934		7	2	9	10	Master-Aircsrew-std.-wood	11	7	747	76%	3.797	5,89	348
477934		7	2	9	10	AeroCAM	9	7	747	76%	4.429	3,44	206
477934		7	2	9	10	Graupner-CAM-Folder	9	6	747	76%	4.556	2,94	202
477934		7	2	9	10	APC-E	13	6	747	76%	3.585	6,72	455
477934		7	2	9	10	parkzone-T-28	9,5	7,5	747	76%	4.246	4,15	237