



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4963	C 3536-05	7	2	45	55	APC-E	8	8	1525	78%	8.676	27,37	657
4963		7	2	45	55	Graupner-Slim	9	6	1525	78%	8.298	32,23	819
4963		7	2	45	55	AeroCarbon	9	6,5	1525	78%	8.612	28,2	651
4963		7	2	45	55	APC-E	9	7,5	1525	78%	8.375	31,24	879
4963		7	2	45	55	APC-Sport	9	8	1525	78%	8.504	29,58	802
4963		7	2	45	55	APC-E	9	9	1525	78%	8.011	35,91	898
4963		7	2	45	55	AeroCAM	9,5	5	1525	78%	8.904	24,44	864
4963		7	2	45	55	Aeronaut-E-Prop	9,5	5	1525	78%	8.939	23,99	946
4963		7	2	45	55	Aeronaut-E-Prop	9,5	6	1525	78%	8.869	24,89	921
4963		7	2	45	55	Aeronaut-E-Prop	9,5	7	1525	78%	8.566	28,78	896
4963		7	2	45	55	APC-E	10	5	1525	78%	8.715	26,87	1083
4963		7	2	45	55	APC-Sport	10	5	1525	78%	8.598	28,37	1134
4963		7	2	45	55	AeroCAM	10	6	1525	78%	8.787	25,95	1127
4963		7	2	45	55	Aeronaut-E-Prop	10	6	1525	78%	8.615	28,16	1014
4963		7	2	45	55	APC-Sport	10	6	1525	78%	8.470	30,01	1070
4963		7	2	45	55	AeroCarbon	10	7	1525	78%	8.363	31,39	1080
4963		7	2	45	55	Aeronaut-E-Prop	10	7	1525	78%	8.285	32,39	769
4963		7	2	45	55	APC-E	10	7	1525	78%	8.157	34,04	1069
4963		7	2	45	55	APC-Sport	10	7	1525	78%	8.248	32,86	1044
4963		7	2	45	55	AeroCAM	10	8	1525	78%	8.057	35,32	1148
4963		7	2	45	55	Aeronaut-E-Prop	10	8	1525	78%	7.763	39,09	1048
4963		7	2	45	55	APC-Sport	10	8	1525	78%	7.971	36,42	1031
4963		7	2	45	55	APC-Sport	10	9	1525	78%	7.633	40,76	1025
4963		7	2	45	55	APC-E	10	10	1525	78%	7.315	44,83	1007
4963		7	2	45	55	AeroCarbon	10,5	6	1525	78%	8.092	34,87	911
4963		7	2	45	55	Aeronaut-E-Prop	10,5	6	1525	78%	8.201	33,47	1183
4963		7	2	45	55	Aeronaut-E-Prop	10,5	7	1525	78%	8.114	34,58	1115
4963		7	2	45	55	Aeronaut-E-Prop	10,5	8	1525	78%	7.937	36,85	1077
4963		7	2	45	55	Graupner-CAM	11	4	1525	78%	8.714	26,88	1074
4963		7	2	45	55	APC-E	11	5,5	1525	78%	8.067	35,19	1261
4963		7	2	45	55	APC-Sport	11	6	1525	78%	7.882	37,56	1359
4963		7	2	45	55	AeroCarbon	11	6,5	1525	78%	7.801	38,6	1043
4963		7	2	45	55	AeroCAM	11	7	1525	78%	7.745	39,32	1334
4963		7	2	45	55	APC-E	11	7	1525	78%	7.673	40,25	1304
4963		7	2	45	55	APC-Sport	11	7	1525	78%	7.391	43,87	1342
4963		7	2	45	55	AeroCAM	11	8	1525	78%	7.760	39,13	1463
4963		7	2	45	55	APC-E	11	8	1525	78%	7.392	43,84	1180
4963		7	2	45	55	APC-E	11	8,5	1525	78%	7.520	42,21	1347
4963		7	2	45	55	AeroCarbon	11,5	7	1525	78%	7.512	42,32	1178
4963		7	2	45	55	Graupner-CAM	12	4	1525	78%	8.611	28,2	1143
4963		7	2	45	55	AeroCAM	12	6,5	1525	78%	7.594	41,25	1631
4963		7	2	45	55	AeroCarbon	12	7	1525	78%	7.637	40,71	1403
4963		7	2	45	55	Graupner-CAM	12	7	1525	78%	7.982	36,28	1279
4963		7	2	45	55	Graupner-CAM	12,5	4	1525	78%	8.271	32,57	1319
4963		7	2	45	55	APC-E	13	4	1525	78%	7.675	40,22	1632
4963		7	2	45	55	GWS-HD	10	6	1525	78%	8.679	27,33	1059
4963		7	2	45	55	GWS-HD	11	7	1525	78%	7.891	37,44	1418
4963		7	2	45	55	AeroCAM	11	6	1525	78%	7.939	36,83	1401
4963		7	2	45	55	APC-Sport	11	5	1525	78%	8.257	32,76	1379
4963		7	2	45	55	Graupner-CAM-45mm	11	6	1525	78%	8.101	34,75	1297
4963		7	2	45	55	AeroCAM-45mm	10	8	1525	78%	7.951	36,68	1141
4963		7	2	45	55	STO	9	4,3	1525	78%	8.668	27,48	1062
4963		7	2	45	55	CFK-Folder-45mm	12	6	1525	78%	7.891	37,45	1491
4963		7	2	45	55	Graupner-CAM-45mm	9	6	1525	78%	8.969	23,61	817
4963		7	2	45	55	Graupner-CAM-45mm	10	6	1525	78%	8.655	27,65	1019
4963		7	2	45	55	AeroCAM-45mm	9	5	1525	78%	8.876	24,81	733
4963		7	2	45	55	Aeronaut-E-Prop	9	5	1525	78%	8.765	26,23	957
4963		7	2	45	55	Graupner-CAM-55mm	8	6	1525	78%	8.948	23,88	705
4963		7	2	45	55	Graupner-CAM-55mm	10	6	1525	78%	8.442	30,37	1060
4963		7	2	45	55	AeroCAM-55mm	9	5	1525	78%	8.833	25,35	778
4963		7	2	45	55	CFK-Folder	6	6	1525	78%	8.869	24,89	526
4963		7	2	45	55	Graupner-CAM-45mm	10	8	1525	78%	7.450	43,11	1094
4963		7	2	45	55	AeroCAM-45mm	10	6	1525	78%	8.563	28,83	1078
4963		7	2	45	55	Aeronaut-glass	9,5	5	1525	78%	9.031	22,82	845
4963		7	2	45	55	Graupner-CAM-50mm	10	6	1525	78%	8.155	34,06	1128
4963		7	2	45	55	AeroCarbon-45mm	10,5	6	1525	78%	8.092	34,87	914
4963		7	2	45	55	Rasa	12	6	1525	78%	7.937	36,85	1453
4963		7	2	45	55	APC-E	12	6	1525	78%	7.454	43,05	1524
4963		7	2	45	55	APC-E	9	6	1525	78%	8.825	25,46	918
4963		7	2	45	55	EPP1045	10	4,5	1525	78%	7.759	39,14	1067
4963		7	2	45	55	Master-Aircscrew-std.-wood	10	7	1525	78%	7.962	36,53	1108
4963		7	2	45	55	Master-Aircscrew-std.-wood	10	8	1525	78%	7.728	39,53	1077
4963		7	2	45	55	Master-Aircscrew-std.-wood	11	7	1525	78%	7.449	43,12	1338
4963		7	2	45	55	AeroCAM	9	7	1525	78%	8.788	25,94	812
4963		7	2	45	55	parkzone-T-28	9,5	7,5	1525	78%	8.205	33,41	963
4963		10,5	3	45	55	APC-E	8	4	1522	80%	13.510	29,74	1256
4963		10,5	3	45	55	AeroCAM	8	5	1522	80%	13.565	29,15	1131
4963		10,5	3	45	55	AeroCarbon	8	5	1522	80%	13.485	30,02	906
4963		10,5	3	45	55	APC-E	8	6	1522	80%	12.420	41,58	1367



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4963		10,5	3	45	55	Graupner-Slim	8	6	1522	80%	12.950	35,82	1192
4963		10,5	3	45	55	Aeronaut-E-Prop	8,5	6	1522	80%	13.192	33,19	1242
4963		10,5	3	45	55	Aeronaut-E-Prop	8,5	7	1522	80%	12.544	40,23	1290
4963		10,5	3	45	55	APC-E	9	4,5	1522	80%	12.759	37,9	1710
4963		10,5	3	45	55	AeroCAM	9	5	1522	80%	12.742	38,09	1478
4963		10,5	3	45	55	AeroCarbon	9	5	1522	80%	13.572	29,07	1358
4963		10,5	3	45	55	AeroCAM	9,5	5	1522	80%	12.190	44,08	1619
4963		10,5	3	45	55	AeroCarbon	9,5	5	1522	80%	12.594	39,69	1399
4963		10,5	3	45	55	Aeronaut-E-Prop	9,5	5	1522	80%	12.314	42,73	1795
4963		10,5	3	45	55	Aeronaut-E-Prop	9,5	6	1522	80%	12.179	44,19	1818
4963		10,5	3	45	55	Graupner-Slim	8	4	1522	80%	12.950	35,82	1002
4963		10,5	3	45	55	Graupner-CAM-55mm	8	6	1522	80%	12.330	42,55	1338
4963		10,5	3	45	55	AeroCAM-55mm	9	5	1522	80%	12.112	44,93	1462
4963		10,5	3	45	55	CFK-Folder	6	6	1522	80%	12.179	44,19	992
4963		10,5	3	45	55	Aeronaut-glass	9,5	5	1522	80%	12.490	40,82	1617
4963		10,5	3	45	55	AeroCarbon	9,5	5	1522	80%	12.878	36,61	1488
4963		10,5	3	45	55	APC-E	7	6	1522	80%	13.653	28,19	923
4963		10,5	3	45	55	Graupner-CAM-Folder	9	6	1522	80%	12.555	40,11	1533
4780	C 3536-06	10,5	3	40	50	APC-E	8	6	1253	81%	10.693	24,95	981
4780		10,5	3	40	50	Graupner-Slim	8	6	1253	81%	10.998	22,11	863
4780		10,5	3	40	50	APC-E	8	8	1253	81%	10.127	30,2	911
4780		10,5	3	40	50	Aeronaut-E-Prop	8,5	6	1253	81%	11.218	20,07	898
4780		10,5	3	40	50	Aeronaut-E-Prop	8,5	7	1253	81%	10.737	24,54	945
4780		10,5	3	40	50	APC-E	9	4,5	1253	81%	10.945	22,61	1231
4780		10,5	3	40	50	AeroCAM	9	5	1253	81%	10.904	22,99	1082
4780		10,5	3	40	50	GWS-HD	9	5	1253	81%	11.052	21,61	1269
4780		10,5	3	40	50	Graupner-Slim	9	6	1253	81%	9.624	34,87	1097
4780		10,5	3	40	50	AeroCarbon	9	6,5	1253	81%	10.069	30,74	890
4780		10,5	3	40	50	APC-E	9	7,5	1253	81%	9.792	33,31	1227
4780		10,5	3	40	50	APC-Sport	9	8	1253	81%	9.941	31,92	1095
4780		10,5	3	40	50	APC-E	9	9	1253	81%	9.293	37,94	1237
4780		10,5	3	40	50	AeroCAM	9,5	5	1253	81%	10.489	26,84	1199
4780		10,5	3	40	50	AeroCarbon	9,5	5	1253	81%	10.794	24,01	1028
4780		10,5	3	40	50	Aeronaut-E-Prop	9,5	5	1253	81%	10.563	26,15	1321
4780		10,5	3	40	50	Aeronaut-E-Prop	9,5	6	1253	81%	10.461	27,1	1312
4780		10,5	3	40	50	Aeronaut-E-Prop	9,5	7	1253	81%	10.029	31,11	1228
4780		10,5	3	40	50	APC-E	10	5	1253	81%	10.184	29,67	1509
4780		10,5	3	40	50	APC-Sport	10	5	1253	81%	10.075	30,69	1557
4780		10,5	3	40	50	AeroCAM	10	6	1253	81%	10.320	28,41	1555
4780		10,5	3	40	50	Aeronaut-E-Prop	10	6	1253	81%	10.097	30,48	1393
4780		10,5	3	40	50	APC-Sport	10	6	1253	81%	9.896	32,35	1460
4780		10,5	3	40	50	AeroCarbon	10	7	1253	81%	9.800	33,24	1518
4780		10,5	3	40	50	Aeronaut-E-Prop	10	7	1253	81%	9.636	34,76	1038
4780		10,5	3	40	50	APC-E	10	7	1253	81%	9.405	36,9	1442
4780		10,5	3	40	50	APC-Sport	10	7	1253	81%	9.586	35,23	1410
4780		10,5	3	40	50	AeroCAM	10	8	1253	81%	9.300	37,88	1530
4780		10,5	3	40	50	APC-Sport	10	8	1253	81%	9.208	38,73	1376
4780		10,5	3	40	50	AeroCarbon	10,5	6	1253	81%	9.348	37,43	1215
4780		10,5	3	40	50	Aeronaut-E-Prop	10,5	6	1253	81%	9.521	35,82	1596
4780		10,5	3	40	50	Aeronaut-E-Prop	10,5	7	1253	81%	9.403	36,93	1497
4780		10,5	3	40	50	Aeronaut-E-Prop	10,5	8	1253	81%	9.163	39,15	1436
4780		10,5	3	40	50	Graupner-CAM	11	4	1253	81%	10.228	29,26	1483
4780		10,5	3	40	50	APC-E	11	5,5	1253	81%	9.289	37,99	1691
4780		10,5	3	40	50	APC-Sport	11	6	1253	81%	9.086	39,87	1797
4780		10,5	3	40	50	Graupner-CAM	12	4	1253	81%	10.043	30,98	1596
4780		10,5	3	40	50	Graupner-CAM	12	7	1253	81%	9.205	38,76	1742
4780		10,5	3	40	50	Graupner-CAM	12,5	4	1253	81%	9.550	35,56	1799
4780		10,5	3	40	50	AeroCAM	11	6	1253	81%	9.165	39,13	1868
4780		10,5	3	40	50	Graupner-Slim	8	4	1253	81%	10.998	22,11	707
4780		10,5	3	40	50	APC-Sport	11	5	1253	81%	9.598	35,12	1863
4780		10,5	3	40	50	Graupner-CAM-45mm	11	6	1253	81%	9.385	37,09	1741
4780		10,5	3	40	50	AeroCAM-45mm	10	8	1253	81%	9.181	38,98	1521
4780		10,5	3	40	50	STO	9	4,3	1253	81%	10.173	29,78	1463
4780		10,5	3	40	50	CFK-Folder-45mm	12	6	1253	81%	9.100	39,73	1983
4780		10,5	3	40	50	AeroCAM-45mm	9	5	1253	81%	10.470	27,01	1020
4780		10,5	3	40	50	Aeronaut-E-Prop	9	5	1253	81%	10.311	28,49	1324
4780		10,5	3	40	50	Graupner-CAM-55mm	8	6	1253	81%	10.575	26,04	984
4780		10,5	3	40	50	Graupner-CAM-55mm	10	6	1253	81%	9.855	32,73	1444
4780		10,5	3	40	50	AeroCAM-55mm	9	5	1253	81%	10.409	27,58	1080
4780		10,5	3	40	50	CFK-Folder	6	6	1253	81%	10.461	27,1	732
4780		10,5	3	40	50	AeroCAM-45mm	10	6	1253	81%	10.024	31,16	1477
4780		10,5	3	40	50	Aeronaut-glass	9,5	5	1253	81%	10.696	24,92	1186
4780		10,5	3	40	50	Graupner-CAM-50mm	10	6	1253	81%	9.458	36,41	1518
4780		10,5	3	40	50	AeroCarbon-45mm	10,5	6	1253	81%	9.348	37,43	1220
4780		10,5	3	40	50	Rasa	12	6	1253	81%	9.163	39,15	1936
4780		10,5	3	40	50	APC-E	9	6	1253	81%	10.379	27,86	1275
4780		10,5	3	40	50	Master-Aircscrew-std.-wood	10	7	1253	81%	9.196	38,84	1479
4780		10,5	3	40	50	AeroCarbon	9,5	5	1253	81%	10.986	22,23	1084
4780		10,5	3	40	50	AeroCAM	9	7	1253	81%	10.344	28,19	1125
4780		10,5	3	40	50	Graupner-CAM-Folder	9	6	1253	81%	10.745	24,46	1122
4780		10,5	3	40	50	parkzone-T-28	9,5	7,5	1253	81%	9.469	36,31	1307
4780		7	2	40	50	APC-SF	8	6	1243	79%	7.419	15,73	586
4780		7	2	40	50	APC-E	8	8	1243	79%	7.388	16,07	467
4780		7	2	40	50	Graupner-Slim	9	6	1243	79%	7.098	19,3	602
4780		7	2	40	50	AeroCarbon	9	6,5	1243	79%	7.324	16,79	471



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4780		7	2	40	50	APC-E	9	7,5	1243	79%	7.121	19,04	622
4780		7	2	40	50	APC-SF	9	7,5	1243	79%	6.692	23,83	747
4780		7	2	40	50	APC-Sport	9	8	1243	79%	7.233	17,8	581
4780		7	2	40	50	APC-E	9	9	1243	79%	6.849	22,07	640
4780		7	2	40	50	Aeronaut-E-Prop	9,5	7	1243	79%	7.278	17,29	646
4780		7	2	40	50	APC-E	10	5	1243	79%	7.415	15,77	767
4780		7	2	40	50	APC-Sport	10	5	1243	79%	7.301	17,04	818
4780		7	2	40	50	AeroCAM	10	6	1243	79%	7.450	15,38	810
4780		7	2	40	50	Aeronaut-E-Prop	10	6	1243	79%	7.313	16,9	730
4780		7	2	40	50	APC-Sport	10	6	1243	79%	7.207	18,09	775
4780		7	2	40	50	AeroCarbon	10	7	1243	79%	7.099	19,3	759
4780		7	2	40	50	Aeronaut-E-Prop	10	7	1243	79%	7.071	19,6	562
4780		7	2	40	50	APC-E	10	7	1243	79%	7.008	20,31	777
4780		7	2	40	50	APC-SF	10	7	1243	79%	6.109	30,33	924
4780		7	2	40	50	APC-Sport	10	7	1243	79%	7.045	19,9	761
4780		7	2	40	50	AeroCAM	10	8	1243	79%	6.916	21,34	846
4780		7	2	40	50	Aeronaut-E-Prop	10	8	1243	79%	6.680	23,96	776
4780		7	2	40	50	APC-Sport	10	8	1243	79%	6.837	22,21	758
4780		7	2	40	50	APC-Sport	10	9	1243	79%	6.581	25,06	762
4780		7	2	40	50	APC-E	10	10	1243	79%	6.317	28,01	758
4780		7	2	40	50	AeroCarbon	10,5	6	1243	79%	6.942	21,04	670
4780		7	2	40	50	Aeronaut-E-Prop	10,5	6	1243	79%	7.009	20,29	864
4780		7	2	40	50	Aeronaut-E-Prop	10,5	7	1243	79%	6.945	21,01	817
4780		7	2	40	50	Aeronaut-E-Prop	10,5	8	1243	79%	6.812	22,49	793
4780		7	2	40	50	Graupner-CAM	11	4	1243	79%	7.391	16,04	771
4780		7	2	40	50	APC-E	11	5,5	1243	79%	6.939	21,08	922
4780		7	2	40	50	APC-Sport	11	6	1243	79%	6.772	22,93	1008
4780		7	2	40	50	AeroCarbon	11	6,5	1243	79%	6.723	23,48	774
4780		7	2	40	50	AeroCAM	11	7	1243	79%	6.680	23,97	992
4780		7	2	40	50	APC-E	11	7	1243	79%	6.649	24,31	959
4780		7	2	40	50	APC-SF	11	7	1243	79%	5.829	33,45	1093
4780		7	2	40	50	APC-Sport	11	7	1243	79%	6.395	27,14	1005
4780		7	2	40	50	AeroCAM	11	8	1243	79%	6.668	24,1	1080
4780		7	2	40	50	APC-E	11	8	1243	79%	6.432	26,72	902
4780		7	2	40	50	APC-Sport	11	8	1243	79%	6.330	27,86	943
4780		7	2	40	50	APC-E	11	8,5	1243	79%	6.571	25,18	995
4780		7	2	40	50	APC-E	11	10	1243	79%	5.775	34,05	919
4780		7	2	40	50	APC-Sport	11	11	1243	79%	5.758	34,24	884
4780		7	2	40	50	AeroCarbon	11,5	7	1243	79%	6.503	25,94	883
4780		7	2	40	50	Graupner-CAM	12	4	1243	79%	7.337	16,64	808
4780		7	2	40	50	APC-Sport	12	6	1243	79%	6.267	28,57	1206
4780		7	2	40	50	AeroCAM	12	6,5	1243	79%	6.566	25,23	1219
4780		7	2	40	50	AeroCarbon	12	7	1243	79%	6.599	24,87	1047
4780		7	2	40	50	APC-Sport	12	7	1243	79%	6.195	29,36	0
4780		7	2	40	50	Graupner-CAM	12	7	1243	79%	6.857	21,99	920
4780		7	2	40	50	AeroCAM	12	8	1243	79%	6.162	29,73	1233
4780		7	2	40	50	APC-E	12	8	1243	79%	6.161	29,74	1147
4780		7	2	40	50	APC-Sport	12	8	1243	79%	5.817	33,58	0
4780		7	2	40	50	AeroCAM	12	9	1243	79%	5.862	33,08	1207
4780		7	2	40	50	APC-Sport	12	9	1243	79%	5.966	31,92	1052
4780		7	2	40	50	APC-E	12	10	1243	79%	5.526	36,83	838
4780		7	2	40	50	APC-Sport	12	10	1243	79%	5.563	36,41	1048
4780		7	2	40	50	Graupner-CAM	12,5	4	1243	79%	7.100	19,28	948
4780		7	2	40	50	AeroCarbon	12,5	6,5	1243	79%	6.330	27,86	1051
4780		7	2	40	50	AeroCAM	12,5	7,5	1243	79%	5.873	32,96	1177
4780		7	2	40	50	AeroCarbon	12,5	10	1243	79%	6.221	29,08	1353
4780		7	2	40	50	APC-E	13	4	1243	79%	6.649	24,31	1190
4780		7	2	40	50	APC-Sport	13	6	1243	79%	6.107	30,35	1387
4780		7	2	40	50	AeroCarbon-42mm	13	6,5	1243	79%	6.148	29,89	1130
4780		7	2	40	50	APC-E	13	6,5	1243	79%	5.946	32,14	1188
4780		7	2	40	50	APC-Sport	13	7	1243	79%	5.885	32,82	1325
4780		7	2	40	50	Graupner-CAM	13	7	1243	79%	6.057	30,91	1091
4780		7	2	40	50	AeroCAM	13	8	1243	79%	5.949	32,1	1501
4780		7	2	40	50	APC-E	13	8	1243	79%	5.772	34,08	1282
4780		7	2	40	50	APC-Sport	13	8	1243	79%	5.643	35,52	1276
4780		7	2	40	50	APC-E	13	10	1243	79%	5.309	39,24	1046
4780		7	2	40	50	AeroCAM	13	11	1243	79%	5.260	39,79	1451
4780		7	2	40	50	AeroCarbon	13,5	7	1243	79%	5.733	34,52	1171
4780		7	2	40	50	AeroCarbon	14	7	1243	79%	5.458	37,59	1198
4780		7	2	40	50	APC-E	14	7	1243	79%	5.495	37,17	1371
4780		7	2	40	50	Graupner-CAM	14,5	4	1243	79%	6.305	28,14	1287
4780		7	2	40	50	GWS-HD	10	6	1243	79%	7.365	16,32	758
4780		7	2	40	50	GWS-HD	11	7	1243	79%	6.775	22,9	1035
4780		7	2	40	50	GWS-HD	12	8	1243	79%	6.166	29,69	1225
4780		7	2	40	50	AeroCAM	11	6	1243	79%	6.813	22,48	1032
4780		7	2	40	50	APC-Sport	11	5	1243	79%	7.051	19,83	1005
4780		7	2	40	50	Graupner-CAM-55mm	13	7	1243	79%	5.879	32,89	1082
4780		7	2	40	50	Graupner-CAM-45mm	11	6	1243	79%	6.935	21,12	951
4780		7	2	40	50	AeroCAM-45mm	10	8	1243	79%	6.822	22,38	840
4780		7	2	40	50	STO	9	4,3	1243	79%	7.352	16,47	764
4780		7	2	40	50	AeroCAM-45mm	12	8	1243	79%	6.198	29,33	1201
4780		7	2	40	50	CFK-Folder-45mm	12	6	1243	79%	6.777	22,88	1100
4780		7	2	40	50	Graupner-CAM-45mm	10	6	1243	79%	7.342	16,58	733
4780		7	2	40	50	Aeronaut-E-Prop	9	5	1243	79%	7.422	15,69	686
4780		7	2	40	50	AeroCAM-60mm	13	8	1243	79%	5.647	35,47	1484
4780		7	2	40	50	Graupner-CAM-55mm	10	6	1243	79%	7.187	18,31	768



Brushless Motors

No.	Motormame	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
4780		7	2	40	50	AeroCAM-55mm	13	8	1243	79%	5.645	35,49	1446
4780		7	2	40	50	Graupner-CAM-52mm	13	7	1243	79%	5.895	32,72	1095
4780		7	2	40	50	Graupner-CAM-45mm	12	10	1243	79%	5.463	37,52	1057
4780		7	2	40	50	Graupner-CAM-45mm	11	8	1243	79%	6.795	22,68	856
4780		7	2	40	50	Graupner-CAM-45mm	10	8	1243	79%	6.440	26,63	818
4780		7	2	40	50	AeroCAM-45mm	10	6	1243	79%	7.275	17,32	778
4780		7	2	40	50	Graupner-CAM-50mm	10	6	1243	79%	6.975	20,67	825
4780		7	2	40	50	AeroCarbon-45mm	10,5	6	1243	79%	6.942	21,04	673
4780		7	2	40	50	AeroCAM-45mm	12	10	1243	79%	5.697	34,92	1015
4780		7	2	40	50	Rasa	12	6	1243	79%	6.812	22,49	1070
4780		7	2	40	50	APC-E	12	6	1243	79%	6.505	25,91	1136
4780		7	2	40	50	APC-SF	9	6	1243	79%	7.035	20,01	858
4780		7	2	40	50	APC-E	14	8,5	1243	79%	5.458	37,59	1346
4780		7	2	40	50	APC-Pattern	13	9	1243	79%	5.561	36,44	1211
4780		7	2	40	50	APC-E-v2	12	10	1243	79%	5.661	35,32	882
4780		7	2	40	50	EPP1045	10	4,5	1243	79%	6.680	23,96	779
4780		7	2	40	50	Master-Aircscrew-std.-wood	10	7	1243	79%	6.831	22,28	815
4780		7	2	40	50	Master-Aircscrew-std.-wood	10	8	1243	79%	6.654	24,25	799
4780		7	2	40	50	Master-Aircscrew-std.-wood	11	7	1243	79%	6.440	26,64	1000
4780		7	2	40	50	AeroCAM	9	7	1243	79%	7.438	15,51	582
4780		7	2	40	50	APC-E	13	6	1243	79%	6.097	30,46	1316
4780		7	2	40	50	parkzone-T-28	9,5	7,5	1243	79%	7.046	19,88	696