



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4960	C 2834-12	7	2	14	16	Graupner-Slim	9	6	760	75%	4.473	4,82	242
4960		7	2	14	16	GWS-RS	9	7	760	75%	4.484	4,76	307
4960		7	2	14	16	GWS-RS-3-Blade	9	7	760	75%	4.337	5,49	303
4960		7	2	14	16	APC-E	9	7,5	760	75%	4.428	5,04	226
4960		7	2	14	16	APC-SF	9	7,5	760	75%	4.290	5,73	296
4960		7	2	14	16	APC-Sport	9	8	760	75%	4.523	4,57	228
4960		7	2	14	16	APC-E	9	9	760	75%	4.265	5,85	230
4960		7	2	14	16	Aeronaut-E-Prop	9,5	7	760	75%	4.549	4,44	252
4960		7	2	14	16	APC-SF	10	4,7	760	75%	4.444	4,96	355
4960		7	2	14	16	GWS-RS	10	4,7	760	75%	4.390	5,23	352
4960		7	2	14	16	APC-Sport	10	5	760	75%	4.561	4,38	319
4960		7	2	14	16	Aeronaut-E-Prop	10	6	760	75%	4.570	4,34	285
4960		7	2	14	16	APC-Sport	10	6	760	75%	4.506	4,65	303
4960		7	2	14	16	AeroCarbon	10	7	760	75%	4.391	5,23	270
4960		7	2	14	16	Aeronaut-E-Prop	10	7	760	75%	4.429	5,04	222
4960		7	2	14	16	APC-E	10	7	760	75%	4.446	4,95	298
4960		7	2	14	16	APC-SF	10	7	760	75%	3.943	7,45	371
4960		7	2	14	16	APC-Sport	10	7	760	75%	4.414	5,11	299
4960		7	2	14	16	AeroCAM	10	8	760	75%	4.362	5,37	337
4960		7	2	14	16	Aeronaut-E-Prop	10	8	760	75%	4.198	6,18	306
4960		7	2	14	16	APC-Sport	10	8	760	75%	4.291	5,72	299
4960		7	2	14	16	GWS-RS	10	8	760	75%	4.222	6,06	411
4960		7	2	14	16	APC-Sport	10	9	760	75%	4.140	6,47	301
4960		7	2	14	16	APC-E	10	10	760	75%	3.945	7,44	305
4960		7	2	14	16	AeroCarbon	10,5	6	760	75%	4.377	5,29	266
4960		7	2	14	16	Aeronaut-E-Prop	10,5	6	760	75%	4.392	5,22	339
4960		7	2	14	16	Aeronaut-E-Prop	10,5	7	760	75%	4.354	5,41	322
4960		7	2	14	16	Aeronaut-E-Prop	10,5	8	760	75%	4.276	5,79	312
4960		7	2	14	16	APC-SF	11	3,8	760	75%	4.376	5,3	372
4960		7	2	14	16	APC-SF	11	4,7	760	75%	4.261	5,87	434
4960		7	2	14	16	GWS-RS	11	4,7	760	75%	4.142	6,46	424
4960		7	2	14	16	APC-E	11	5,5	760	75%	4.402	5,17	358
4960		7	2	14	16	APC-Sport	11	6	760	75%	4.256	5,89	405
4960		7	2	14	16	AeroCarbon	11	6,5	760	75%	4.250	5,92	309
4960		7	2	14	16	AeroCAM	11	7	760	75%	4.222	6,06	396
4960		7	2	14	16	APC-E	11	7	760	75%	4.248	5,93	367
4960		7	2	14	16	APC-SF	11	7	760	75%	3.831	8	421
4960		7	2	14	16	APC-Sport	11	7	760	75%	4.029	7,02	398
4960		7	2	14	16	AeroCAM	11	8	760	75%	4.173	6,31	423
4960		7	2	14	16	APC-E	11	8	760	75%	4.119	6,57	382
4960		7	2	14	16	APC-Sport	11	8	760	75%	4.012	7,11	379
4960		7	2	14	16	APC-E	11	8,5	760	75%	4.272	5,81	378
4960		7	2	14	16	APC-E	11	10	760	75%	3.731	8,5	362
4960		7	2	14	16	APC-Sport	11	11	760	75%	3.646	8,92	354
4960		7	2	14	16	AeroCarbon	11,5	7	760	75%	4.121	6,57	354
4960		7	2	14	16	APC-SF	12	3,8	760	75%	4.031	7,01	452
4960		7	2	14	16	APC-SF	12	6	760	75%	3.572	9,29	518
4960		7	2	14	16	APC-Sport	12	6	760	75%	3.839	7,97	508
4960		7	2	14	16	GWS-RS	12	6	760	75%	3.753	8,39	550
4960		7	2	14	16	AeroCAM	12	6,5	760	75%	4.158	6,38	489
4960		7	2	14	16	AeroCarbon	12	7	760	75%	4.177	6,29	420
4960		7	2	14	16	APC-Sport	12	7	760	75%	3.910	7,61	0
4960		7	2	14	16	Graupner-CAM	12	7	760	75%	4.322	5,57	339
4960		7	2	14	16	AeroCAM	12	8	760	75%	3.890	7,71	491
4960		7	2	14	16	APC-E	12	8	760	75%	3.899	7,67	468
4960		7	2	14	16	APC-Sport	12	8	760	75%	3.682	8,75	0
4960		7	2	14	16	AeroCAM	12	9	760	75%	3.740	8,46	491
4960		7	2	14	16	APC-Sport	12	9	760	75%	3.774	8,29	421
4960		7	2	14	16	APC-E	12	10	760	75%	3.581	9,25	336
4960		7	2	14	16	APC-Sport	12	10	760	75%	3.530	9,5	421
4960		7	2	14	16	APC-E	12	12	760	75%	3.223	11,03	399
4960		7	2	14	16	Graupner-CAM	12,5	4	760	75%	4.510	4,64	355
4960		7	2	14	16	AeroCarbon	12,5	6,5	760	75%	4.019	7,07	424
4960		7	2	14	16	AeroCAM	12,5	7,5	760	75%	3.678	8,77	449
4960		7	2	14	16	AeroCarbon	12,5	10	760	75%	3.954	7,39	547
4960		7	2	14	16	APC-E	13	4	760	75%	4.245	5,95	444
4960		7	2	14	16	APC-Sport	13	6	760	75%	3.856	7,88	553
4960		7	2	14	16	AeroCarbon-42mm	13	6,5	760	75%	3.911	7,61	457
4960		7	2	14	16	APC-E	13	6,5	760	75%	3.854	7,89	491
4960		7	2	14	16	APC-Sport	13	7	760	75%	3.723	8,54	527
4960		7	2	14	16	Graupner-CAM	13	7	760	75%	3.856	7,88	423
4960		7	2	14	16	AeroCAM	13	8	760	75%	3.792	8,2	610
4960		7	2	14	16	APC-E	13	8	760	75%	3.730	8,51	474
4960		7	2	14	16	APC-Sport	13	8	760	75%	3.573	9,28	514
4960		7	2	14	16	APC-E	13	10	760	75%	3.450	9,9	430
4960		7	2	14	16	APC-Sport	13	10	760	75%	3.216	11,06	484
4960		7	2	14	16	AeroCAM	13	11	760	75%	3.375	10,27	597
4960		7	2	14	16	APC-Sport	13	12	760	75%	3.188	11,2	443
4960		7	2	14	16	APC-Sport	13	13	760	75%	2.945	12,41	412



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4960		7	2	14	16	AeroCarbon	13,5	7	760	75%	3.662	8,85	478
4960		7	2	14	16	APC-Sport	13,5	14	760	75%	2.881	12,72	439
4960		7	2	14	16	AeroCarbon	14	7	760	75%	3.495	9,67	491
4960		7	2	14	16	APC-E	14	7	760	75%	3.517	9,57	523
4960		7	2	14	16	AeroCAM	14	8	760	75%	3.215	11,07	561
4960		7	2	14	16	APC-Sport	14	8	760	75%	3.315	10,57	583
4960		7	2	14	16	AeroCAM	14	9	760	75%	3.080	11,73	557
4960		7	2	14	16	AeroCAM	14	10	760	75%	2.938	12,44	544
4960		7	2	14	16	APC-E	14	10	760	75%	3.190	11,19	523
4960		7	2	14	16	APC-Sport	14	10	760	75%	2.991	12,18	539
4960		7	2	14	16	APC-Sport	14	12	760	75%	2.869	12,78	496
4960		7	2	14	16	Graupner-CAM	14,5	4	760	75%	3.999	7,17	493
4960		7	2	14	16	AeroCAM	15	8	760	75%	3.208	11,1	703
4960		7	2	14	16	APC-Sport	15	8	760	75%	3.059	11,84	650
4960		7	2	14	16	AeroCarbon	15	9,5	760	75%	3.215	11,07	641
4960		7	2	14	16	AeroCAM	15	10	760	75%	2.904	12,61	669
4960		7	2	14	16	APC-Sport	15	10	760	75%	2.845	12,9	590
4960		7	2	14	16	AeroCAM	16	8	760	75%	3.045	11,91	786
4960		7	2	14	16	APC-Sport	16	8	760	75%	2.800	13,13	711
4960		7	2	14	16	AeroCAM	16	10	760	75%	2.754	13,35	746
4960		7	2	14	16	APC-Sport	16	10	760	75%	2.636	13,94	637
4960		7	2	14	16	APC-Sport	16	12	760	75%	2.632	13,96	639
4960		7	2	14	16	AeroCAM	17	9	760	75%	2.672	13,76	801
4960		7	2	14	16	APC-Sport	18	6	760	75%	2.660	13,82	811
4960		7	2	14	16	AeroCarbon	18	8	760	75%	2.830	12,98	813
4960		7	2	14	16	GWS-HD	11	7	760	75%	4.251	5,92	395
4960		7	2	14	16	GWS-HD	12	8	760	75%	3.901	7,66	481
4960		7	2	14	16	AeroCAM	11	6	760	75%	4.277	5,79	407
4960		7	2	14	16	APC-Sport	11	5	760	75%	4.416	5,1	394
4960		7	2	14	16	AeroCAM-55mm	16	8	760	75%	2.675	13,75	642
4960		7	2	14	16	Graupner-CAM-55mm	13	7	760	75%	3.719	8,56	433
4960		7	2	14	16	Graupner-CAM-45mm	11	6	760	75%	4.349	5,43	374
4960		7	2	14	16	AeroCAM-45mm	10	8	760	75%	4.282	5,76	331
4960		7	2	14	16	AeroCAM-45mm	12	8	760	75%	3.934	7,49	484
4960		7	2	14	16	CFK-Folder-45mm	12	6	760	75%	4.256	5,9	434
4960		7	2	14	16	AeroCAM-60mm	13	8	760	75%	3.579	9,26	596
4960		7	2	14	16	AeroCAM-60mm	12	10	760	75%	3.303	10,63	429
4960		7	2	14	16	Graupner-CAM-55mm	10	6	760	75%	4.496	4,7	301
4960		7	2	14	16	AeroCAM-55mm	13	8	760	75%	3.578	9,26	581
4960		7	2	14	16	Graupner-CAM-52mm	13	7	760	75%	3.729	8,51	438
4960		7	2	14	16	Graupner-CAM-52mm	13	11	760	75%	3.294	10,67	457
4960		7	2	14	16	Graupner-CAM-52mm	14	12	760	75%	2.626	13,99	497
4960		7	2	14	16	AeroCAM-47mm	14	12	760	75%	2.734	13,45	497
4960		7	2	14	16	Graupner-CAM-45mm	12	10	760	75%	3.467	9,81	426
4960		7	2	14	16	Graupner-CAM-45mm	11	8	760	75%	4.266	5,84	338
4960		7	2	14	16	Graupner-CAM-45mm	10	8	760	75%	4.056	6,89	324
4960		7	2	14	16	AeroCAM-45mm	10	6	760	75%	4.548	4,45	304
4960		7	2	14	16	Graupner-CAM-50mm	10	6	760	75%	4.372	5,32	324
4960		7	2	14	16	AeroCarbon-45mm	10,5	6	760	75%	4.377	5,29	267
4960		7	2	14	16	AeroCAM-45mm	12	10	760	75%	3.609	9,11	407
4960		7	2	14	16	Rasa	12	6	760	75%	4.276	5,79	422
4960		7	2	14	16	APC-E	12	6	760	75%	4.208	6,13	444
4960		7	2	14	16	APC-SF	9	6	760	75%	4.494	4,71	317
4960		7	2	14	16	Mejzlik-Carbon	16	8	760	75%	2.810	13,08	697
4960		7	2	14	16	AeroCAM-3-Blade	15	8	760	75%	2.959	12,34	837
4960		7	2	14	16	APC-E	14	8,5	760	75%	3.540	9,45	567
4960		7	2	14	16	APC-Pattern	13	9	760	75%	3.526	9,52	487
4960		7	2	14	16	APC-E-v2	12	10	760	75%	3.607	9,12	341
4960		7	2	14	16	AeroCarbon-55mm	13	6,5	760	75%	3.289	10,7	346
4960		7	2	14	16	EPP1045	10	4,5	760	75%	4.204	6,15	295
4960		7	2	14	16	Master-Aircscrew-std.-wood	10	7	760	75%	4.287	5,74	321
4960		7	2	14	16	Master-Aircscrew-std.-wood	10	8	760	75%	4.183	6,26	316
4960		7	2	14	16	Master-Aircscrew-std.-wood	11	7	760	75%	4.056	6,89	397
4960		7	2	14	16	APC-E	15	8	760	75%	3.059	11,84	607
4960		7	2	14	16	APC-E	16	8	760	75%	2.779	13,23	710
4960		7	2	14	16	APC-E	17	8	760	75%	2.642	13,91	750
4960		7	2	14	16	APC-E	13	6	760	75%	3.851	7,91	525
4960		7	2	14	16	parkzone-T-28	9,5	7,5	760	75%	4.470	4,83	264
4960		10,5	3	14	16	APC-E	8	6	770	78%	6.823	6,07	362
4960		10,5	3	14	16	APC-SF	8	6	770	78%	6.560	7,18	444
4960		10,5	3	14	16	Graupner-Slim	8	6	770	78%	6.846	5,97	338
4960		10,5	3	14	16	GWS-RS	8	6	770	78%	6.790	6,21	381
4960		10,5	3	14	16	APC-E	8	8	770	78%	6.504	7,41	357
4960		10,5	3	14	16	Aeronaut-E-Prop	8,5	7	770	78%	6.765	6,31	375
4960		10,5	3	14	16	APC-SF	9	3,8	770	78%	6.904	5,73	522
4960		10,5	3	14	16	APC-E	9	4,5	770	78%	6.962	5,48	467
4960		10,5	3	14	16	APC-SF	9	4,7	770	78%	6.726	6,48	501
4960		10,5	3	14	16	AeroCAM	9	5	770	78%	6.894	5,77	432
4960		10,5	3	14	16	GWS-HD	9	5	770	78%	6.965	5,47	484
4960		10,5	3	14	16	Graupner-Slim	9	6	770	78%	6.166	8,84	456
4960		10,5	3	14	16	AeroCarbon	9	6,5	770	78%	6.415	7,79	361
4960		10,5	3	14	16	GWS-RS	9	7	770	78%	6.209	8,66	610
4960		10,5	3	14	16	GWS-RS-3-Blade	9	7	770	78%	5.937	9,8	570
4960		10,5	3	14	16	APC-E	9	7,5	770	78%	6.157	8,87	457
4960		10,5	3	14	16	APC-SF	9	7,5	770	78%	5.761	10,55	547
4960		10,5	3	14	16	APC-Sport	9	8	770	78%	6.300	8,27	441



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4960		10,5	3	14	16	APC-E	9	9	770	78%	5.857	10,14	457
4960		10,5	3	14	16	AeroCAM	9,5	5	770	78%	6.657	6,77	483
4960		10,5	3	14	16	AeroCarbon	9,5	5	770	78%	6.831	6,03	412
4960		10,5	3	14	16	Aeronaut-E-Prop	9,5	5	770	78%	6.664	6,74	525
4960		10,5	3	14	16	Aeronaut-E-Prop	9,5	6	770	78%	6.604	6,99	490
4960		10,5	3	14	16	Aeronaut-E-Prop	9,5	7	770	78%	6.351	8,06	492
4960		10,5	3	14	16	APC-SF	10	4,7	770	78%	6.036	9,38	701
4960		10,5	3	14	16	APC-E	10	5	770	78%	6.535	7,28	586
4960		10,5	3	14	16	APC-Sport	10	5	770	78%	6.377	7,95	624
4960		10,5	3	14	16	AeroCAM	10	6	770	78%	6.560	7,18	628
4960		10,5	3	14	16	Aeronaut-E-Prop	10	6	770	78%	6.392	7,89	558
4960		10,5	3	14	16	APC-Sport	10	6	770	78%	6.270	8,4	587
4960		10,5	3	14	16	AeroCarbon	10	7	770	78%	6.118	9,04	552
4960		10,5	3	14	16	Aeronaut-E-Prop	10	7	770	78%	6.119	9,03	422
4960		10,5	3	14	16	APC-E	10	7	770	78%	6.081	9,19	576
4960		10,5	3	14	16	APC-SF	10	7	770	78%	5.166	13,05	652
4960		10,5	3	14	16	APC-Sport	10	7	770	78%	6.090	9,16	569
4960		10,5	3	14	16	AeroCAM	10	8	770	78%	5.963	9,69	629
4960		10,5	3	14	16	Aeronaut-E-Prop	10	8	770	78%	5.697	10,82	564
4960		10,5	3	14	16	APC-Sport	10	8	770	78%	5.864	10,11	558
4960		10,5	3	14	16	GWS-RS	10	8	770	78%	5.739	10,64	783
4960		10,5	3	14	16	APC-Sport	10	9	770	78%	5.593	11,26	550
4960		10,5	3	14	16	APC-E	10	10	770	78%	5.297	12,5	540
4960		10,5	3	14	16	AeroCarbon	10,5	6	770	78%	5.992	9,57	499
4960		10,5	3	14	16	Aeronaut-E-Prop	10,5	6	770	78%	6.051	9,32	643
4960		10,5	3	14	16	Aeronaut-E-Prop	10,5	7	770	78%	5.980	9,62	606
4960		10,5	3	14	16	Aeronaut-E-Prop	10,5	8	770	78%	5.837	10,23	582
4960		10,5	3	14	16	APC-SF	11	3,8	770	78%	5.875	10,06	710
4960		10,5	3	14	16	Graupner-CAM	11	4	770	78%	6.486	7,49	593
4960		10,5	3	14	16	APC-SF	11	4,7	770	78%	5.763	10,54	846
4960		10,5	3	14	16	APC-E	11	5,5	770	78%	6.004	9,52	683
4960		10,5	3	14	16	APC-Sport	11	6	770	78%	5.796	10,4	743
4960		10,5	3	14	16	AeroCarbon	11	6,5	770	78%	5.758	10,56	568
4960		10,5	3	14	16	AeroCAM	11	7	770	78%	5.711	10,76	725
4960		10,5	3	14	16	APC-E	11	7	770	78%	5.706	10,78	691
4960		10,5	3	14	16	APC-Sport	11	7	770	78%	5.400	12,07	716
4960		10,5	3	14	16	AeroCAM	11	8	770	78%	5.672	10,92	782
4960		10,5	3	14	16	APC-E	11	8	770	78%	5.481	11,73	663
4960		10,5	3	14	16	APC-Sport	11	8	770	78%	5.348	12,29	673
4960		10,5	3	14	16	APC-E	11	8,5	770	78%	5.668	10,94	714
4960		10,5	3	14	16	AeroCarbon	11,5	7	770	78%	5.528	11,53	638
4960		10,5	3	14	16	APC-SF	12	3,8	770	78%	5.198	12,92	847
4960		10,5	3	14	16	Graupner-CAM	12	4	770	78%	6.443	7,67	609
4960		10,5	3	14	16	APC-Sport	12	6	770	78%	5.197	12,92	867
4960		10,5	3	14	16	GWS-RS	12	6	770	78%	4.952	13,96	962
4960		10,5	3	14	16	AeroCAM	12	6,5	770	78%	5.594	11,25	885
4960		10,5	3	14	16	AeroCarbon	12	7	770	78%	5.628	11,11	762
4960		10,5	3	14	16	APC-Sport	12	7	770	78%	5.198	12,92	0
4960		10,5	3	14	16	Graupner-CAM	12	7	770	78%	5.896	9,97	664
4960		10,5	3	14	16	AeroCAM	12	8	770	78%	5.165	13,06	866
4960		10,5	3	14	16	APC-E	12	8	770	78%	5.170	13,04	814
4960		10,5	3	14	16	APC-Sport	12	9	770	78%	4.972	13,87	731
4960		10,5	3	14	16	Graupner-CAM	12,5	4	770	78%	6.189	8,74	704
4960		10,5	3	14	16	AeroCarbon	12,5	6,5	770	78%	5.352	12,27	751
4960		10,5	3	14	16	AeroCarbon	12,5	10	770	78%	5.242	12,73	961
4960		10,5	3	14	16	APC-E	13	4	770	78%	5.703	10,79	849
4960		10,5	3	14	16	APC-Sport	13	6	770	78%	5.109	13,29	971
4960		10,5	3	14	16	AeroCarbon-42mm	13	6,5	770	78%	5.169	13,04	799
4960		10,5	3	14	16	APC-E	13	6,5	770	78%	5.012	13,7	839
4960		10,5	3	14	16	Graupner-CAM	13	7	770	78%	5.079	13,42	754
4960		10,5	3	14	16	AeroCAM	13	8	770	78%	4.974	13,86	1049
4960		10,5	3	14	16	Graupner-CAM	14,5	4	770	78%	5.323	12,39	901
4960		10,5	3	14	16	GWS-HD	10	6	770	78%	6.456	7,62	580
4960		10,5	3	14	16	GWS-HD	11	7	770	78%	5.795	10,4	749
4960		10,5	3	14	16	GWS-HD	12	8	770	78%	5.175	13,02	856
4960		10,5	3	14	16	AeroCAM	11	6	770	78%	5.838	10,22	758
4960		10,5	3	14	16	Graupner-Slim	8	4	770	78%	6.846	5,97	257
4960		10,5	3	14	16	APC-Sport	11	5	770	78%	6.096	9,13	752
4960		10,5	3	14	16	Graupner-CAM-45mm	11	6	770	78%	5.970	9,66	704
4960		10,5	3	14	16	AeroCAM-45mm	10	8	770	78%	5.848	10,18	617
4960		10,5	3	14	16	STO	9	4,3	770	78%	6.436	7,7	585
4960		10,5	3	14	16	Graupner-CAM-45mm	8	6	770	78%	6.852	5,95	370
4960		10,5	3	14	16	AeroCAM-45mm	12	8	770	78%	5.215	12,85	851
4960		10,5	3	14	16	CFK-Folder-45mm	12	6	770	78%	5.799	10,38	805
4960		10,5	3	14	16	Graupner-CAM-45mm	9	6	770	78%	6.689	6,63	454
4960		10,5	3	14	16	Graupner-CAM-45mm	10	6	770	78%	6.425	7,75	561
4960		10,5	3	14	16	Aero-Glass	9,5	5	770	78%	6.874	5,85	490
4960		10,5	3	14	16	AeroCAM-45mm	9	5	770	78%	6.610	6,97	406
4960		10,5	3	14	16	Aeronaut-E-Prop	9	5	770	78%	6.517	7,36	529
4960		10,5	3	14	16	Graupner-CAM-55mm	8	6	770	78%	6.671	6,71	392
4960		10,5	3	14	16	Graupner-CAM-55mm	10	6	770	78%	6.249	8,49	581
4960		10,5	3	14	16	AeroCAM-55mm	9	5	770	78%	6.574	7,12	431
4960		10,5	3	14	16	CFK-Folder	6	6	770	78%	6.604	6,99	292
4960		10,5	3	14	16	Graupner-CAM-45mm	11	8	770	78%	5.819	10,3	628
4960		10,5	3	14	16	Graupner-CAM-45mm	10	8	770	78%	5.447	11,87	585
4960		10,5	3	14	16	AeroCAM-45mm	10	6	770	78%	6.348	8,07	593



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4960		10,5	3	14	16	Aeronaut-glass	9,5	5	770	78%	6.741	6,41	471
4960		10,5	3	14	16	Graupner-CAM-50mm	10	6	770	78%	6.013	9,48	613
4960		10,5	3	14	16	AeroCarbon-45mm	10,5	6	770	78%	5.992	9,57	501
4960		10,5	3	14	16	Rasa	12	6	770	78%	5.837	10,23	786
4960		10,5	3	14	16	APC-E	12	6	770	78%	5.584	11,29	817
4960		10,5	3	14	16	APC-SF	9	6	770	78%	6.130	8,99	632
4960		10,5	3	14	16	APC-E	9	6	770	78%	6.587	7,06	508
4960		10,5	3	14	16	EPP1045	10	4,5	770	78%	5.700	10,8	559
4960		10,5	3	14	16	Master-Aircscrew-std.-wood	10	7	770	78%	5.857	10,14	599
4960		10,5	3	14	16	Master-Aircscrew-std.-wood	10	8	770	78%	5.669	10,93	580
4960		10,5	3	14	16	Master-Aircscrew-std.-wood	11	7	770	78%	5.446	11,87	715
4960		10,5	3	14	16	AeroCarbon	9,5	5	770	78%	6.908	5,71	430
4960		10,5	3	14	16	AeroCAM	9	7	770	78%	6.536	7,28	449
4960		10,5	3	14	16	Graupner-CAM-Folder	9	6	770	78%	6.769	6,29	446
4960		10,5	3	14	16	APC-E	13	6	770	78%	5.100	13,33	921
4960		10,5	3	14	16	parkzone-T-28	9,5	7,5	770	78%	6.125	9,01	516
4960		14	4	14	16	APC-E	8	4	776	79%	9.264	6,71	569
4960		14	4	14	16	AeroCAM	8	5	776	79%	9.249	6,76	526
4960		14	4	14	16	AeroCarbon	8	5	776	79%	9.194	6,96	421
4960		14	4	14	16	APC-E	8	6	776	79%	8.530	9,35	594
4960		14	4	14	16	APC-SF	8	6	776	79%	8.058	11,05	707
4960		14	4	14	16	Graupner-Slim	8	6	776	79%	8.690	8,77	541
4960		14	4	14	16	APC-E	8	8	776	79%	8.024	11,17	556
4960		14	4	14	16	Aeronaut-E-Prop	8,5	6	776	79%	8.953	7,83	572
4960		14	4	14	16	Aeronaut-E-Prop	8,5	7	776	79%	8.502	9,45	593
4960		14	4	14	16	APC-E	9	4,5	776	79%	8.758	8,53	764
4960		14	4	14	16	AeroCAM	9	5	776	79%	8.683	8,8	686
4960		14	4	14	16	AeroCarbon	9	5	776	79%	9.254	6,74	631
4960		14	4	14	16	GWS-HD	9	5	776	79%	8.811	8,34	791
4960		14	4	14	16	Graupner-Slim	9	6	776	79%	7.545	12,89	679
4960		14	4	14	16	AeroCarbon	9	6,5	776	79%	7.928	11,52	552
4960		14	4	14	16	APC-E	9	7,5	776	79%	7.605	12,68	716
4960		14	4	14	16	APC-Sport	9	8	776	79%	7.782	12,04	672
4960		14	4	14	16	AeroCAM	9,5	5	776	79%	8.305	10,16	752
4960		14	4	14	16	AeroCarbon	9,5	5	776	79%	8.582	9,16	650
4960		14	4	14	16	Aeronaut-E-Prop	9,5	5	776	79%	8.342	10,02	824
4960		14	4	14	16	Aeronaut-E-Prop	9,5	6	776	79%	8.249	10,36	788
4960		14	4	14	16	Aeronaut-E-Prop	9,5	7	776	79%	7.860	11,76	754
4960		14	4	14	16	APC-E	10	5	776	79%	8.074	10,99	920
4960		14	4	14	16	APC-Sport	10	5	776	79%	7.899	11,62	957
4960		14	4	14	16	AeroCAM	10	6	776	79%	8.152	10,71	970
4960		14	4	14	16	Aeronaut-E-Prop	10	6	776	79%	7.921	11,54	857
4960		14	4	14	16	APC-Sport	10	6	776	79%	7.739	12,2	893
4960		14	4	14	16	AeroCarbon	10	7	776	79%	7.577	12,78	873
4960		14	4	14	16	Aeronaut-E-Prop	10	7	776	79%	7.512	13,01	633
4960		14	4	14	16	APC-E	10	7	776	79%	7.391	13,45	869
4960		14	4	14	16	APC-Sport	10	7	776	79%	7.468	13,17	856
4960		14	4	14	16	AeroCAM	10	8	776	79%	7.255	13,94	931
4960		14	4	14	16	AeroCarbon	10,5	6	776	79%	7.296	13,79	740
4960		14	4	14	16	Aeronaut-E-Prop	10,5	6	776	79%	7.411	13,37	966
4960		14	4	14	16	Aeronaut-E-Prop	10,5	7	776	79%	7.308	13,75	905
4960		14	4	14	16	Graupner-CAM	11	4	776	79%	8.053	11,07	916
4960		14	4	14	16	APC-E	11	5,5	776	79%	7.284	13,83	1020
4960		14	4	14	16	Graupner-CAM	12	4	776	79%	7.940	11,47	958
4960		14	4	14	16	Graupner-CAM	12,5	4	776	79%	7.534	12,93	1078
4960		14	4	14	16	GWS-HD	10	6	776	79%	8.007	11,23	899
4960		14	4	14	16	Graupner-Slim	8	4	776	79%	8.690	8,77	427
4960		14	4	14	16	APC-Sport	11	5	776	79%	7.478	13,13	1131
4960		14	4	14	16	Graupner-CAM-45mm	11	6	776	79%	7.293	13,8	1051
4960		14	4	14	16	STO	9	4,3	776	79%	7.988	11,3	902
4960		14	4	14	16	Graupner-CAM-45mm	8	6	776	79%	8.643	8,94	589
4960		14	4	14	16	Graupner-CAM-45mm	9	6	776	79%	8.382	9,88	714
4960		14	4	14	16	Graupner-CAM-45mm	10	6	776	79%	7.971	11,36	864
4960		14	4	14	16	Aero-Glass	9,5	5	776	79%	8.679	8,81	781
4960		14	4	14	16	AeroCAM-45mm	9	5	776	79%	8.258	10,33	634
4960		14	4	14	16	Aeronaut-E-Prop	9	5	776	79%	8.113	10,85	820
4960		14	4	14	16	Graupner-CAM-55mm	8	6	776	79%	8.354	9,98	614
4960		14	4	14	16	Graupner-CAM-55mm	10	6	776	79%	7.705	12,32	883
4960		14	4	14	16	AeroCAM-55mm	9	5	776	79%	8.202	10,53	670
4960		14	4	14	16	CFK-Folder	6	6	776	79%	8.249	10,36	455
4960		14	4	14	16	AeroCAM-45mm	10	6	776	79%	7.855	11,78	907
4960		14	4	14	16	Aeronaut-glass	9,5	5	776	79%	8.464	9,58	743
4960		14	4	14	16	Graupner-CAM-50mm	10	6	776	79%	7.356	13,57	918
4960		14	4	14	16	AeroCarbon-45mm	10,5	6	776	79%	7.296	13,79	743
4960		14	4	14	16	APC-E	9	6	776	79%	8.200	10,54	791
4960		14	4	14	16	AeroCarbon	9,5	5	776	79%	8.734	8,62	686
4960		14	4	14	16	AeroCAM	9	7	776	79%	8.143	10,74	697
4960		14	4	14	16	Graupner-CAM-Folder	9	6	776	79%	8.510	9,42	704
4960		14	4	14	16	parkzone-T-28	9,5	7,5	776	79%	7.451	13,23	784