



# Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4964	C 3542-05	10,5	3	50	65	APC-E	8	8	1110	80%	9.851	26,74	859
4964		10,5	3	50	65	Graupner-Slim	9	6	1110	80%	9.493	31,46	1067
4964		10,5	3	50	65	AeroCarbon	9	6,5	1110	80%	9.807	27,32	845
4964		10,5	3	50	65	APC-E	9	7,5	1110	80%	9.608	29,94	1178
4964		10,5	3	50	65	APC-Sport	9	8	1110	80%	9.716	28,52	1046
4964		10,5	3	50	65	APC-E	9	9	1110	80%	9.249	34,67	1224
4964		10,5	3	50	65	Aeronaut-E-Prop	9,5	7	1110	80%	9.777	27,72	1167
4964		10,5	3	50	65	APC-E	10	5	1110	80%	9.890	26,23	1418
4964		10,5	3	50	65	APC-Sport	10	5	1110	80%	9.808	27,31	1476
4964		10,5	3	50	65	Aeronaut-E-Prop	10	6	1110	80%	9.824	27,1	1319
4964		10,5	3	50	65	APC-Sport	10	6	1110	80%	9.684	28,94	1398
4964		10,5	3	50	65	AeroCarbon	10	7	1110	80%	9.612	29,9	1456
4964		10,5	3	50	65	Aeronaut-E-Prop	10	7	1110	80%	9.500	31,37	1009
4964		10,5	3	50	65	APC-E	10	7	1110	80%	9.334	33,54	1419
4964		10,5	3	50	65	APC-Sport	10	7	1110	80%	9.463	31,85	1374
4964		10,5	3	50	65	AeroCAM	10	8	1110	80%	9.255	34,58	1515
4964		10,5	3	50	65	Aeronaut-E-Prop	10	8	1110	80%	9.875	38,26	1400
4964		10,5	3	50	65	APC-Sport	10	8	1110	80%	9.186	35,49	1369
4964		10,5	3	50	65	APC-Sport	10	9	1110	80%	8.843	40,01	1375
4964		10,5	3	50	65	APC-E	10	10	1110	80%	8.542	43,97	1359
4964		10,5	3	50	65	AeroCarbon	10,5	6	1110	80%	9.291	34,12	1201
4964		10,5	3	50	65	Aeronaut-E-Prop	10,5	6	1110	80%	9.417	32,46	1561
4964		10,5	3	50	65	Aeronaut-E-Prop	10,5	7	1110	80%	9.330	33,6	1474
4964		10,5	3	50	65	Aeronaut-E-Prop	10,5	8	1110	80%	9.152	35,94	1432
4964		10,5	3	50	65	Graupner-CAM	11	4	1110	80%	9.915	25,91	1393
4964		10,5	3	50	65	APC-E	11	5,5	1110	80%	9.247	34,69	1675
4964		10,5	3	50	65	APC-Sport	11	6	1110	80%	9.094	36,7	1801
4964		10,5	3	50	65	AeroCarbon	11	6,5	1110	80%	8.996	38	1386
4964		10,5	3	50	65	AeroCAM	11	7	1110	80%	8.940	38,74	1777
4964		10,5	3	50	65	APC-E	11	7	1110	80%	8.833	40,14	1764
4964		10,5	3	50	65	APC-Sport	11	7	1110	80%	8.593	43,3	1815
4964		10,5	3	50	65	AeroCAM	11	8	1110	80%	8.985	38,14	1962
4964		10,5	3	50	65	APC-E	11	8	1110	80%	8.544	43,95	1559
4964		10,5	3	50	65	APC-Sport	11	8	1110	80%	8.475	44,85	1691
4964		10,5	3	50	65	APC-E	11	8,5	1110	80%	8.621	42,93	1831
4964		10,5	3	50	65	AeroCarbon	11,5	7	1110	80%	8.698	41,92	1579
4964		10,5	3	50	65	Graupner-CAM	12	4	1110	80%	9.792	27,52	1510
4964		10,5	3	50	65	APC-Sport	12	6	1110	80%	8.580	43,47	2101
4964		10,5	3	50	65	AeroCAM	12	6,5	1110	80%	8.783	40,8	2182
4964		10,5	3	50	65	AeroCarbon	12	7	1110	80%	8.827	40,22	1874
4964		10,5	3	50	65	APC-Sport	12	7	1110	80%	8.325	46,83	0
4964		10,5	3	50	65	Graupner-CAM	12	7	1110	80%	9.184	35,52	1733
4964		10,5	3	50	65	AeroCAM	12	8	1110	80%	8.281	47,4	2227
4964		10,5	3	50	65	APC-E	12	8	1110	80%	8.266	47,6	2041
4964		10,5	3	50	65	Graupner-CAM	12,5	4	1110	80%	9.441	32,14	1755
4964		10,5	3	50	65	AeroCarbon	12,5	6,5	1110	80%	8.465	44,99	1880
4964		10,5	3	50	65	AeroCarbon	12,5	10	1110	80%	8.318	46,92	2419
4964		10,5	3	50	65	APC-E	13	4	1110	80%	8.838	40,07	2226
4964		10,5	3	50	65	APC-Sport	13	6	1110	80%	8.207	48,38	2505
4964		10,5	3	50	65	AeroCarbon-42mm	13	6,5	1110	80%	8.219	48,22	2020
4964		10,5	3	50	65	Graupner-CAM	13	7	1110	80%	8.096	49,83	2005
4964		10,5	3	50	65	Graupner-CAM	14,5	4	1110	80%	8.439	45,33	2380
4964		10,5	3	50	65	GWS-HD	10	6	1110	80%	9.881	26,34	1379
4964		10,5	3	50	65	GWS-HD	12	8	1110	80%	8.273	47,51	2235
4964		10,5	3	50	65	AeroCAM	11	6	1110	80%	9.154	35,92	1863
4964		10,5	3	50	65	APC-Sport	11	5	1110	80%	9.472	31,73	1814
4964		10,5	3	50	65	Graupner-CAM-45mm	11	6	1110	80%	9.317	33,77	1716
4964		10,5	3	50	65	AeroCAM-45mm	10	8	1110	80%	9.166	35,76	1516
4964		10,5	3	50	65	STO	9	4,3	1110	80%	9.876	26,42	1379
4964		10,5	3	50	65	AeroCAM-45mm	12	8	1110	80%	8.297	47,19	2153
4964		10,5	3	50	65	CFK-Folder-45mm	12	6	1110	80%	9.105	36,56	1985
4964		10,5	3	50	65	Graupner-CAM-45mm	10	6	1110	80%	9.863	26,59	1323
4964		10,5	3	50	65	Graupner-CAM-55mm	10	6	1110	80%	9.655	29,32	1386
4964		10,5	3	50	65	AeroCAM-45mm	10	6	1110	80%	9.773	27,77	1404
4964		10,5	3	50	65	Graupner-CAM-50mm	10	6	1110	80%	9.371	33,06	1490
4964		10,5	3	50	65	AeroCarbon-45mm	10,5	6	1110	80%	9.291	34,12	1205
4964		10,5	3	50	65	Rasa	12	6	1110	80%	9.152	35,94	1931
4964		10,5	3	50	65	APC-E	12	6	1110	80%	8.572	43,57	2061
4964		10,5	3	50	65	EPP1045	10	4,5	1110	80%	8.967	38,38	1446
4964		10,5	3	50	65	Master-Aircscrew-std.-wood	10	7	1110	80%	9.177	35,61	1473
4964		10,5	3	50	65	Master-Aircscrew-std.-wood	10	8	1110	80%	8.940	38,73	1442
4964		10,5	3	50	65	Master-Aircscrew-std.-wood	11	7	1110	80%	8.653	42,5	1806
4964		10,5	3	50	65	APC-E	13	6	1110	80%	8.194	48,55	2378
4964		10,5	3	50	65	parkzone-T-28	9,5	7,5	1110	80%	9.381	32,92	1281
4964		7	2	50	65	APC-SF	9	7,5	1097	77%	6.502	21,27	704
4964		7	2	50	65	APC-SF	10	7	1097	77%	6.081	27,98	915
4964		7	2	50	65	Aeronaut-E-Prop	10	8	1097	77%	6.488	21,5	732
4964		7	2	50	65	APC-Sport	10	9	1097	77%	6.419	22,59	725
4964		7	2	50	65	APC-E	10	10	1097	77%	6.231	25,6	738



# Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4964		7	2	50	65	AeroCarbon	11	6,5	1097	77%	6.519	21	728
4964		7	2	50	65	AeroCAM	11	7	1097	77%	6.489	21,48	936
4964		7	2	50	65	APC-E	11	7	1097	77%	6.471	21,77	905
4964		7	2	50	65	APC-SF	11	7	1097	77%	5.865	31,42	1109
4964		7	2	50	65	APC-Sport	11	7	1097	77%	6.288	24,68	971
4964		7	2	50	65	AeroCAM	11	8	1097	77%	6.478	21,66	1020
4964		7	2	50	65	APC-E	11	8	1097	77%	6.318	24,21	872
4964		7	2	50	65	APC-Sport	11	8	1097	77%	6.242	25,41	917
4964		7	2	50	65	APC-E	11	8,5	1097	77%	6.421	22,57	945
4964		7	2	50	65	APC-E	11	10	1097	77%	5.824	32,07	936
4964		7	2	50	65	APC-Sport	11	11	1097	77%	5.813	32,25	901
4964		7	2	50	65	AeroCarbon	11,5	7	1097	77%	6.366	23,44	846
4964		7	2	50	65	APC-Sport	12	6	1097	77%	6.192	26,21	1181
4964		7	2	50	65	AeroCAM	12	6,5	1097	77%	6.410	22,73	1162
4964		7	2	50	65	AeroCarbon	12	7	1097	77%	6.433	22,37	996
4964		7	2	50	65	APC-Sport	12	7	1097	77%	6.143	26,98	0
4964		7	2	50	65	AeroCAM	12	8	1097	77%	6.119	27,37	1216
4964		7	2	50	65	APC-E	12	8	1097	77%	6.118	27,38	1132
4964		7	2	50	65	APC-Sport	12	8	1097	77%	5.858	31,52	0
4964		7	2	50	65	AeroCAM	12	9	1097	77%	5.893	30,98	1220
4964		7	2	50	65	APC-Sport	12	9	1097	77%	5.972	29,71	1055
4964		7	2	50	65	APC-E	12	10	1097	77%	5.625	35,24	870
4964		7	2	50	65	APC-Sport	12	10	1097	77%	5.659	34,69	1084
4964		7	2	50	65	APC-E	12	12	1097	77%	5.313	40,21	1051
4964		7	2	50	65	AeroCarbon	12,5	6,5	1097	77%	6.242	25,41	1022
4964		7	2	50	65	AeroCAM	12,5	7,5	1097	77%	5.902	30,83	1188
4964		7	2	50	65	AeroCarbon	12,5	10	1097	77%	6.163	26,67	1328
4964		7	2	50	65	APC-E	13	4	1097	77%	6.471	21,77	1121
4964		7	2	50	65	APC-Sport	13	6	1097	77%	6.078	28,03	1374
4964		7	2	50	65	AeroCarbon-42mm	13	6,5	1097	77%	6.109	27,54	1116
4964		7	2	50	65	APC-E	13	6,5	1097	77%	5.956	29,96	1192
4964		7	2	50	65	APC-Sport	13	7	1097	77%	5.911	30,69	1336
4964		7	2	50	65	Graupner-CAM	13	7	1097	77%	6.041	28,62	1085
4964		7	2	50	65	AeroCAM	13	8	1097	77%	5.959	29,91	1506
4964		7	2	50	65	APC-E	13	8	1097	77%	5.822	32,1	1307
4964		7	2	50	65	APC-Sport	13	8	1097	77%	5.723	33,68	1312
4964		7	2	50	65	APC-E	13	10	1097	77%	5.448	38,06	1103
4964		7	2	50	65	APC-Sport	13	10	1097	77%	5.241	41,36	1286
4964		7	2	50	65	AeroCAM	13	11	1097	77%	5.411	38,65	1536
4964		7	2	50	65	APC-Sport	13	12	1097	77%	5.203	41,96	1181
4964		7	2	50	65	APC-Sport	13	13	1097	77%	4.965	45,75	1172
4964		7	2	50	65	AeroCarbon	13,5	7	1097	77%	5.792	32,58	1195
4964		7	2	50	65	APC-Sport	13,5	14	1097	77%	4.771	48,84	1204
4964		7	2	50	65	AeroCarbon	14	7	1097	77%	5.573	36,07	1249
4964		7	2	50	65	APC-E	14	7	1097	77%	5.603	35,58	1430
4964		7	2	50	65	AeroCAM	14	8	1097	77%	5.191	42,14	1463
4964		7	2	50	65	APC-Sport	14	8	1097	77%	5.377	39,19	1534
4964		7	2	50	65	AeroCAM	14	9	1097	77%	5.004	45,13	1471
4964		7	2	50	65	AeroCAM	14	10	1097	77%	4.801	48,36	1452
4964		7	2	50	65	APC-E	14	10	1097	77%	5.087	43,8	1302
4964		7	2	50	65	APC-Sport	14	10	1097	77%	4.927	46,36	1461
4964		7	2	50	65	APC-Sport	14	12	1097	77%	4.749	49,19	1359
4964		7	2	50	65	Graupner-CAM	14,5	4	1097	77%	6.224	25,7	1253
4964		7	2	50	65	AeroCAM	15	8	1097	77%	5.183	42,28	1836
4964		7	2	50	65	APC-Sport	15	8	1097	77%	5.021	44,85	1752
4964		7	2	50	65	AeroCarbon	15	9,5	1097	77%	5.191	42,14	1672
4964		7	2	50	65	AeroCAM	15	10	1097	77%	4.753	49,13	1791
4964		7	2	50	65	APC-Sport	15	10	1097	77%	4.713	49,75	1619
4964		7	2	50	65	AeroCAM	16	8	1097	77%	4.954	45,93	2080
4964		7	2	50	65	GWS-HD	12	8	1097	77%	6.122	27,32	1207
4964		7	2	50	65	Graupner-CAM-55mm	13	7	1097	77%	5.906	30,77	1092
4964		7	2	50	65	AeroCAM-45mm	12	8	1097	77%	6.146	26,94	1181
4964		7	2	50	65	AeroCAM-60mm	13	8	1097	77%	5.726	33,63	1525
4964		7	2	50	65	AeroCAM-60mm	12	10	1097	77%	5.360	39,46	1129
4964		7	2	50	65	AeroCAM-55mm	13	8	1097	77%	5.724	33,66	1487
4964		7	2	50	65	Graupner-CAM-52mm	13	7	1097	77%	5.918	30,58	1103
4964		7	2	50	65	Graupner-CAM-52mm	13	11	1097	77%	5.347	39,66	1206
4964		7	2	50	65	Graupner-CAM-45mm	12	10	1097	77%	5.579	35,97	1103
4964		7	2	50	65	Graupner-CAM-45mm	10	8	1097	77%	6.320	24,17	788
4964		7	2	50	65	AeroCAM-45mm	12	10	1097	77%	5.765	33,01	1039
4964		7	2	50	65	APC-E	12	6	1097	77%	6.373	23,34	1087
4964		7	2	50	65	AeroCAM-3-Blade	15	8	1097	77%	4.882	47,07	2278
4964		7	2	50	65	APC-E	14	8,5	1097	77%	5.570	36,12	1402
4964		7	2	50	65	APC-Pattern	13	9	1097	77%	5.657	34,72	1253
4964		7	2	50	65	APC-E-v2	12	10	1097	77%	5.736	33,47	906
4964		7	2	50	65	AeroCarbon-55mm	13	6,5	1097	77%	5.273	40,84	889
4964		7	2	50	65	EPP1045	10	4,5	1097	77%	6.488	21,5	733
4964		7	2	50	65	Master-Aircscrew-std.-wood	10	8	1097	77%	6.469	21,79	755
4964		7	2	50	65	Master-Aircscrew-std.-wood	11	7	1097	77%	6.320	24,17	963
4964		7	2	50	65	APC-E	15	8	1097	77%	5.021	44,85	1635
4964		7	2	50	65	APC-E	13	6	1097	77%	6.071	28,14	1305
4964		14	4	50	65	APC-E	8	6	1102	81%	12.899	33,73	1487
4964		14	4	50	65	APC-E	8	8	1102	81%	12.269	40,96	1368
4964		14	4	50	65	Aeronaut-E-Prop	8,5	7	1102	81%	13.014	32,41	1389
4964		14	4	50	65	APC-E	9	4,5	1102	81%	13.177	30,55	1833
4964		14	4	50	65	AeroCAM	9	5	1102	81%	13.169	30,64	1578



# Brushless Motors

No.	Motormame	Spannung	Li Zellen	I <sub>max</sub> (5Min)	I <sub>max</sub> (60 sek.)	Propeller	Durchm.	Steigung	U <sub>min</sub> / Volt	Eta max	U / min	Laststrom	Schub (g)
4964		14	4	50	65	Graupner-Slim	9	6	1102	81%	11.743	46,99	1624
4964		14	4	50	65	AeroCarbon	9	6,5	1102	81%	12.252	41,15	1318
4964		14	4	50	65	APC-E	9	7,5	1102	81%	12.022	43,79	1899
4964		14	4	50	65	APC-Sport	9	8	1102	81%	12.143	42,4	1632
4964		14	4	50	65	AeroCAM	9,5	5	1102	81%	12.717	35,83	1762
4964		14	4	50	65	AeroCarbon	9,5	5	1102	81%	13.050	32,01	1502
4964		14	4	50	65	Aeronaut-E-Prop	9,5	5	1102	81%	12.826	34,58	1948
4964		14	4	50	65	Aeronaut-E-Prop	9,5	6	1102	81%	12.715	35,85	1993
4964		14	4	50	65	Aeronaut-E-Prop	9,5	7	1102	81%	12.240	41,29	1830
4964		14	4	50	65	APC-E	10	5	1102	81%	12.334	40,21	2271
4964		14	4	50	65	APC-Sport	10	5	1102	81%	12.292	40,7	2318
4964		14	4	50	65	AeroCAM	10	6	1102	81%	12.530	37,97	2292
4964		14	4	50	65	Aeronaut-E-Prop	10	6	1102	81%	12.315	40,43	2073
4964		14	4	50	65	APC-Sport	10	6	1102	81%	12.096	42,95	2181
4964		14	4	50	65	AeroCarbon	10	7	1102	81%	12.066	43,29	2374
4964		14	4	50	65	Aeronaut-E-Prop	10	7	1102	81%	11.803	46,3	1553
4964		14	4	50	65	APC-Sport	10	7	1102	81%	11.746	46,96	2117
4964		14	4	50	65	Aeronaut-E-Prop	10,5	6	1102	81%	11.674	47,78	2401
4964		14	4	50	65	Graupner-CAM	11	4	1102	81%	12.445	38,94	2201
4964		14	4	50	65	Graupner-CAM	12	4	1102	81%	12.186	41,91	2428
4964		14	4	50	65	APC-Sport	11	5	1102	81%	11.760	46,8	2797
4964		14	4	50	65	Graupner-CAM-55mm	8	6	1102	81%	12.839	34,42	1451
4964		14	4	50	65	AeroCAM-55mm	9	5	1102	81%	12.658	36,5	1597
4964		14	4	50	65	CFK-Folder	6	6	1102	81%	12.715	35,85	1081
4964		14	4	50	65	AeroCAM-45mm	10	6	1102	81%	12.234	41,36	2201
4964		14	4	50	65	Aeronaut-glass	9,5	5	1102	81%	12.970	32,92	1743
4964		14	4	50	65	APC-E	9	6	1102	81%	12.601	37,16	1888
4964		14	4	50	65	AeroCAM	9	7	1102	81%	12.587	37,32	1665
4964		14	4	50	65	Graupner-CAM-Folder	9	6	1102	81%	13.023	32,31	1649