



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4967	C 3548-05	10,5	3	45	60	Aeronaut-E-Prop	10	8	833	80%	7.425	20,86	958
4967		10,5	3	45	60	APC-Sport	10	9	833	80%	7.349	21,94	950
4967		10,5	3	45	60	APC-E	10	10	833	80%	7.152	24,7	964
4967		10,5	3	45	60	AeroCarbon	11	6,5	833	80%	7.451	20,5	951
4967		10,5	3	45	60	AeroCAM	11	7	833	80%	7.418	20,97	1223
4967		10,5	3	45	60	APC-E	11	7	833	80%	7.380	21,5	1199
4967		10,5	3	45	60	APC-Sport	11	7	833	80%	7.201	24	1274
4967		10,5	3	45	60	AeroCAM	11	8	833	80%	7.421	20,92	1338
4967		10,5	3	45	60	APC-E	11	8	833	80%	7.208	23,91	1124
4967		10,5	3	45	60	APC-Sport	11	8	833	80%	7.141	24,84	1201
4967		10,5	3	45	60	APC-E	11	8,5	833	80%	7.294	22,7	1258
4967		10,5	3	45	60	APC-E	11	10	833	80%	6.646	31,79	1240
4967		10,5	3	45	60	APC-Sport	11	11	833	80%	6.667	31,5	1185
4967		10,5	3	45	60	AeroCarbon	11,5	7	833	80%	7.278	22,93	1106
4967		10,5	3	45	60	APC-Sport	12	6	833	80%	7.138	24,9	1518
4967		10,5	3	45	60	AeroCAM	12	6,5	833	80%	7.328	22,22	1519
4967		10,5	3	45	60	AeroCarbon	12	7	833	80%	7.354	21,86	1301
4967		10,5	3	45	60	APC-Sport	12	7	833	80%	7.039	26,28	0
4967		10,5	3	45	60	AeroCAM	12	8	833	80%	7.012	26,66	1597
4967		10,5	3	45	60	APC-E	12	8	833	80%	7.007	26,73	1476
4967		10,5	3	45	60	APC-Sport	12	8	833	80%	6.718	30,78	0
4967		10,5	3	45	60	AeroCAM	12	9	833	80%	6.744	30,42	1598
4967		10,5	3	45	60	APC-Sport	12	9	833	80%	6.846	28,99	1386
4967		10,5	3	45	60	APC-E	12	10	833	80%	6.420	34,96	1149
4967		10,5	3	45	60	APC-Sport	12	10	833	80%	6.493	33,94	1428
4967		10,5	3	45	60	APC-E	12	12	833	80%	6.122	39,14	1383
4967		10,5	3	45	60	AeroCarbon	12,5	6,5	833	80%	7.139	24,88	1337
4967		10,5	3	45	60	AeroCAM	12,5	7,5	833	80%	6.783	29,86	1582
4967		10,5	3	45	60	AeroCarbon	12,5	10	833	80%	7.049	26,14	1737
4967		10,5	3	45	60	APC-E	13	4	833	80%	7.381	21,48	1498
4967		10,5	3	45	60	APC-Sport	13	6	833	80%	6.966	27,31	1804
4967		10,5	3	45	60	AeroCarbon-42mm	13	6,5	833	80%	6.988	26,99	1460
4967		10,5	3	45	60	APC-E	13	6,5	833	80%	6.788	29,8	1556
4967		10,5	3	45	60	APC-Sport	13	7	833	80%	6.777	29,95	1760
4967		10,5	3	45	60	Graupner-CAM	13	7	833	80%	6.911	28,07	1439
4967		10,5	3	45	60	AeroCAM	13	8	833	80%	6.819	29,36	1972
4967		10,5	3	45	60	APC-E	13	8	833	80%	6.644	31,82	1766
4967		10,5	3	45	60	APC-Sport	13	8	833	80%	6.567	32,9	1726
4967		10,5	3	45	60	APC-E	13	10	833	80%	6.218	37,79	1449
4967		10,5	3	45	60	APC-Sport	13	10	833	80%	6.020	40,56	1696
4967		10,5	3	45	60	AeroCAM	13	11	833	80%	6.198	38,07	2015
4967		10,5	3	45	60	APC-Sport	13	12	833	80%	5.977	41,17	1559
4967		10,5	3	45	60	APC-Sport	13	13	833	80%	5.740	44,49	1567
4967		10,5	3	45	60	AeroCarbon	13,5	7	833	80%	6.630	32,02	1566
4967		10,5	3	45	60	AeroCarbon	14	7	833	80%	6.382	35,5	1638
4967		10,5	3	45	60	APC-E	14	7	833	80%	6.417	35	1915
4967		10,5	3	45	60	AeroCAM	14	8	833	80%	5.949	41,57	1922
4967		10,5	3	45	60	APC-Sport	14	8	833	80%	6.175	38,4	2023
4967		10,5	3	45	60	AeroCAM	14	9	833	80%	5.736	44,55	1932
4967		10,5	3	45	60	APC-E	14	10	833	80%	5.808	43,54	1687
4967		10,5	3	45	60	Graupner-CAM	14,5	4	833	80%	7.120	25,14	1663
4967		10,5	3	45	60	AeroCAM	15	8	833	80%	5.939	41,7	2410
4967		10,5	3	45	60	APC-Sport	15	8	833	80%	5.771	44,06	2314
4967		10,5	3	45	60	AeroCarbon	15	9,5	833	80%	5.949	41,57	2195
4967		10,5	3	45	60	GWS-HD	12	8	833	80%	7.011	26,67	1593
4967		10,5	3	45	60	Graupner-CAM-55mm	13	7	833	80%	6.772	30,03	1435
4967		10,5	3	45	60	AeroCAM-45mm	12	8	833	80%	7.033	26,37	1547
4967		10,5	3	45	60	AeroCAM-60mm	13	8	833	80%	6.569	32,87	2008
4967		10,5	3	45	60	AeroCAM-60mm	12	10	833	80%	6.155	38,67	1489
4967		10,5	3	45	60	AeroCAM-55mm	13	8	833	80%	6.567	32,89	1957
4967		10,5	3	45	60	Graupner-CAM-52mm	13	7	833	80%	6.785	29,84	1451
4967		10,5	3	45	60	Graupner-CAM-52mm	13	11	833	80%	6.141	38,87	1590
4967		10,5	3	45	60	Graupner-CAM-45mm	12	10	833	80%	6.403	35,19	1453
4967		10,5	3	45	60	Graupner-CAM-45mm	10	8	833	80%	7.238	23,49	1033
4967		10,5	3	45	60	AeroCAM-45mm	12	10	833	80%	6.613	32,25	1368
4967		10,5	3	45	60	APC-E	12	6	833	80%	7.250	23,32	1436
4967		10,5	3	45	60	APC-E	14	8,5	833	80%	6.357	35,84	1827
4967		10,5	3	45	60	APC-Pattern	13	9	833	80%	6.492	33,95	1650
4967		10,5	3	45	60	APC-E-v2	12	10	833	80%	6.572	32,83	1207
4967		10,5	3	45	60	AeroCarbon-55mm	13	6,5	833	80%	6.035	40,36	1164
4967		10,5	3	45	60	EPP1045	10	4,5	833	80%	7.423	20,89	973
4967		10,5	3	45	60	Master-Aircscrew-std.-wood	10	8	833	80%	7.405	21,15	989
4967		10,5	3	45	60	Master-Aircscrew-std.-wood	11	7	833	80%	7.237	23,5	1263
4967		10,5	3	45	60	APC-E	15	8	833	80%	5.771	44,06	2160
4967		10,5	3	45	60	APC-E	13	6	833	80%	6.957	27,42	1714
4967		14	4	45	60	Graupner-Slim	9	6	844	80%	9.833	25,89	1144
4967		14	4	45	60	APC-E	9	7,5	844	80%	9.950	24,51	1269
4967		14	4	45	60	APC-E	9	9	844	80%	9.615	28,46	1331
4967		14	4	45	60	APC-Sport	10	6	844	80%	10.016	23,73	1496



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4967		14	4	45	60	AeroCarbon	10	7	844	80%	9.957	24,43	1571
4967		14	4	45	60	Aeronaut-E-Prop	10	7	844	80%	9.844	25,75	1083
4967		14	4	45	60	APC-E	10	7	844	80%	9.680	27,7	1532
4967		14	4	45	60	APC-Sport	10	7	844	80%	9.810	26,15	1477
4967		14	4	45	60	AeroCAM	10	8	844	80%	9.611	28,51	1634
4967		14	4	45	60	Aeronaut-E-Prop	10	8	844	80%	9.350	31,58	1520
4967		14	4	45	60	APC-Sport	10	8	844	80%	9.550	29,23	1480
4967		14	4	45	60	APC-Sport	10	9	844	80%	9.224	33,07	1497
4967		14	4	45	60	APC-E	10	10	844	80%	8.944	36,38	1485
4967		14	4	45	60	AeroCarbon	10,5	6	844	80%	9.644	28,11	1294
4967		14	4	45	60	Aeronaut-E-Prop	10,5	6	844	80%	9.767	26,67	1679
4967		14	4	45	60	Aeronaut-E-Prop	10,5	7	844	80%	9.686	27,63	1588
4967		14	4	45	60	Aeronaut-E-Prop	10,5	8	844	80%	9.518	29,6	1549
4967		14	4	45	60	APC-E	11	5,5	844	80%	9.598	28,66	1810
4967		14	4	45	60	APC-Sport	11	6	844	80%	9.463	30,26	1947
4967		14	4	45	60	AeroCarbon	11	6,5	844	80%	9.365	31,42	1502
4967		14	4	45	60	AeroCAM	11	7	844	80%	9.312	32,04	1928
4967		14	4	45	60	APC-E	11	7	844	80%	9.201	33,35	1925
4967		14	4	45	60	APC-Sport	11	7	844	80%	8.984	35,9	1984
4967		14	4	45	60	AeroCAM	11	8	844	80%	9.363	31,44	2131
4967		14	4	45	60	APC-E	11	8	844	80%	8.922	36,63	1695
4967		14	4	45	60	APC-Sport	11	8	844	80%	8.866	37,3	1851
4967		14	4	45	60	APC-E	11	8,5	844	80%	8.981	35,95	2007
4967		14	4	45	60	AeroCarbon	11,5	7	844	80%	9.079	34,78	1721
4967		14	4	45	60	APC-Sport	12	6	844	80%	8.995	35,78	2284
4967		14	4	45	60	AeroCAM	12	6,5	844	80%	9.162	33,81	2374
4967		14	4	45	60	AeroCarbon	12	7	844	80%	9.204	33,32	2038
4967		14	4	45	60	APC-Sport	12	7	844	80%	8.725	38,96	0
4967		14	4	45	60	Graupner-CAM	12	7	844	80%	9.544	29,29	1884
4967		14	4	45	60	AeroCAM	12	8	844	80%	8.683	39,46	2449
4967		14	4	45	60	APC-E	12	8	844	80%	8.666	39,66	2239
4967		14	4	45	60	APC-Sport	12	8	844	80%	8.231	44,8	0
4967		14	4	45	60	AeroCAM	12	9	844	80%	8.239	44,7	2385
4967		14	4	45	60	APC-Sport	12	9	844	80%	8.424	42,52	2098
4967		14	4	45	60	Graupner-CAM	12,5	4	844	80%	9.779	26,53	1894
4967		14	4	45	60	AeroCarbon	12,5	6,5	844	80%	8.855	37,43	2057
4967		14	4	45	60	AeroCAM	12,5	7,5	844	80%	8.367	43,19	2436
4967		14	4	45	60	AeroCarbon	12,5	10	844	80%	8.712	39,11	2653
4967		14	4	45	60	APC-E	13	4	844	80%	9.207	33,28	2435
4967		14	4	45	60	APC-Sport	13	6	844	80%	8.611	40,31	2758
4967		14	4	45	60	AeroCarbon-42mm	13	6,5	844	80%	8.616	40,25	2219
4967		14	4	45	60	APC-E	13	6,5	844	80%	8.242	44,66	2310
4967		14	4	45	60	APC-Sport	13	7	844	80%	8.320	43,75	2661
4967		14	4	45	60	Graupner-CAM	13	7	844	80%	8.496	41,66	2218
4967		14	4	45	60	AeroCAM	13	8	844	80%	8.355	43,33	2961
4967		14	4	45	60	Graupner-CAM	14,5	4	844	80%	8.831	37,72	2619
4967		14	4	45	60	AeroCAM	11	6	844	80%	9.520	29,59	2015
4967		14	4	45	60	APC-Sport	11	5	844	80%	9.818	26,06	1950
4967		14	4	45	60	Graupner-CAM-55mm	13	7	844	80%	8.312	43,83	2163
4967		14	4	45	60	Graupner-CAM-45mm	11	6	844	80%	9.674	27,77	1850
4967		14	4	45	60	AeroCAM-45mm	10	8	844	80%	9.531	29,45	1639
4967		14	4	45	60	AeroCAM-45mm	12	8	844	80%	8.693	39,34	2363
4967		14	4	45	60	CFK-Folder-45mm	12	6	844	80%	9.474	30,13	2149
4967		14	4	45	60	Graupner-CAM-55mm	10	6	844	80%	9.989	24,05	1484
4967		14	4	45	60	Graupner-CAM-52mm	13	7	844	80%	8.333	43,59	2188
4967		14	4	45	60	Graupner-CAM-50mm	10	6	844	80%	9.724	27,18	1604
4967		14	4	45	60	AeroCarbon-45mm	10,5	6	844	80%	9.644	28,11	1298
4967		14	4	45	60	Rasa	12	6	844	80%	9.518	29,61	2089
4967		14	4	45	60	APC-E	12	6	844	80%	8.940	36,43	2256
4967		14	4	45	60	EPP1045	10	4,5	844	80%	9.341	31,69	1575
4967		14	4	45	60	Master-Aircscrew-std.-wood	10	7	844	80%	9.542	29,33	1593
4967		14	4	45	60	Master-Aircscrew-std.-wood	10	8	844	80%	9.317	31,98	1566
4967		14	4	45	60	Master-Aircscrew-std.-wood	11	7	844	80%	9.043	35,21	1972
4967		14	4	45	60	APC-E	13	6	844	80%	8.598	40,46	2618
4967		14	4	45	60	parkzone-T-28	9,5	7,5	844	80%	9.724	27,18	1383
4967		7	2	45	60	APC-E	11	10	820	77%	4.863	17,31	637
4967		7	2	45	60	APC-Sport	11	11	820	77%	4.833	17,82	623
4967		7	2	45	60	APC-SF	12	6	820	77%	4.720	19,76	1001
4967		7	2	45	60	APC-Sport	12	8	820	77%	4.860	17,37	0
4967		7	2	45	60	AeroCAM	12	9	820	77%	4.888	16,87	840
4967		7	2	45	60	APC-E	12	10	820	77%	4.747	19,3	608
4967		7	2	45	60	APC-Sport	12	10	820	77%	4.745	19,34	761
4967		7	2	45	60	APC-E	12	12	820	77%	4.520	23,2	768
4967		7	2	45	60	AeroCAM	12,5	7,5	820	77%	4.873	17,13	802
4967		7	2	45	60	APC-Sport	13	7	820	77%	4.889	16,85	912
4967		7	2	45	60	APC-E	13	8	820	77%	4.862	17,33	867
4967		7	2	45	60	APC-Sport	13	8	820	77%	4.780	18,73	917
4967		7	2	45	60	APC-E	13	10	820	77%	4.640	21,14	792
4967		7	2	45	60	APC-Sport	13	10	820	77%	4.488	23,76	943
4967		7	2	45	60	AeroCAM	13	11	820	77%	4.603	21,77	1111
4967		7	2	45	60	APC-Sport	13	12	820	77%	4.463	24,18	869
4967		7	2	45	60	APC-Sport	13	13	820	77%	4.290	27,16	875
4967		7	2	45	60	AeroCarbon	13,5	7	820	77%	4.831	17,86	831
4967		7	2	45	60	APC-Sport	13,5	14	820	77%	4.179	29,07	923
4967		7	2	45	60	AeroCarbon	14	7	820	77%	4.702	20,08	889
4967		7	2	45	60	APC-E	14	7	820	77%	4.720	19,77	987



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4967		7	2	45	60	AeroCAM	14	8	820	77%	4.465	24,14	1083
4967		7	2	45	60	APC-Sport	14	8	820	77%	4.573	22,3	1110
4967		7	2	45	60	AeroCAM	14	9	820	77%	4.344	26,23	1108
4967		7	2	45	60	AeroCAM	14	10	820	77%	4.208	28,57	1116
4967		7	2	45	60	APC-E	14	10	820	77%	4.412	25,06	986
4967		7	2	45	60	APC-Sport	14	10	820	77%	4.284	27,27	1104
4967		7	2	45	60	APC-Sport	14	12	820	77%	4.164	29,32	1045
4967		7	2	45	60	APC-Sport	14	14	820	77%	3.853	34,66	1036
4967		7	2	45	60	AeroCAM	15	8	820	77%	4.460	24,24	1359
4967		7	2	45	60	APC-Sport	15	8	820	77%	4.346	26,19	1313
4967		7	2	45	60	AeroCarbon	15	9,5	820	77%	4.465	24,14	1237
4967		7	2	45	60	AeroCAM	15	10	820	77%	4.175	29,13	1382
4967		7	2	45	60	APC-Sport	15	10	820	77%	4.140	29,73	1249
4967		7	2	45	60	AeroCAM	15	13	820	77%	3.852	34,68	1402
4967		7	2	45	60	APC-Sport	15	13	820	77%	3.909	33,7	1155
4967		7	2	45	60	AeroCAM	16	8	820	77%	4.311	26,8	1575
4967		7	2	45	60	APC-Sport	16	8	820	77%	4.098	30,46	1522
4967		7	2	45	60	AeroCAM	16	10	820	77%	4.024	31,73	1592
4967		7	2	45	60	APC-Sport	16	10	820	77%	3.928	33,38	1414
4967		7	2	45	60	APC-Sport	16	12	820	77%	3.836	34,95	1357
4967		7	2	45	60	AeroCAM	16	13	820	77%	3.767	36,15	1662
4967		7	2	45	60	AeroCarbon	16,5	15	820	77%	3.580	39,36	1481
4967		7	2	45	60	AeroCAM	17	9	820	77%	3.938	33,21	1740
4967		7	2	45	60	AeroCAM	17	11	820	77%	3.580	39,36	1644
4967		7	2	45	60	APC-Sport	18	6	820	77%	3.955	32,92	1792
4967		7	2	45	60	AeroCarbon	18	8	820	77%	4.101	30,41	1708
4967		7	2	45	60	AeroCAM	18	11	820	77%	3.645	38,24	2062
4967		7	2	45	60	AeroCAM	18,5	12	820	77%	3.335	43,57	2004
4967		7	2	45	60	AeroCAM-55mm	16	8	820	77%	3.970	32,65	1414
4967		7	2	45	60	Graupner-CAM-55mm	13	7	820	77%	4.887	16,9	748
4967		7	2	45	60	AeroCAM-60mm	13	8	820	77%	4.783	18,68	1064
4967		7	2	45	60	AeroCAM-60mm	12	10	820	77%	4.562	22,48	818
4967		7	2	45	60	AeroCAM-55mm	13	8	820	77%	4.782	18,7	1038
4967		7	2	45	60	Graupner-CAM-52mm	13	7	820	77%	4.893	16,78	754
4967		7	2	45	60	Graupner-CAM-52mm	13	11	820	77%	4.554	22,61	874
4967		7	2	45	60	Graupner-CAM-52mm	14	12	820	77%	3.918	33,55	1107
4967		7	2	45	60	AeroCAM-47mm	14	12	820	77%	4.031	31,61	1080
4967		7	2	45	60	CFK-Folder-47mm	16	16	820	77%	3.359	43,16	1212
4967		7	2	45	60	Graupner-CAM-45mm	12	10	820	77%	4.696	20,18	781
4967		7	2	45	60	AeroCAM-45mm	12	10	820	77%	4.806	18,29	722
4967		7	2	45	60	Mejzlik-Carbon	16	8	820	77%	4.108	30,29	1490
4967		7	2	45	60	Mejzlik-Carbon	19	8	820	77%	3.443	41,72	1975
4967		7	2	45	60	AeroCAM-3-Blade	15	8	820	77%	4.253	27,79	1729
4967		7	2	45	60	APC-E	14	8,5	820	77%	4.714	19,87	1004
4967		7	2	45	60	APC-Pattern	13	9	820	77%	4.743	19,38	881
4967		7	2	45	60	APC-E-v2	12	10	820	77%	4.795	18,48	621
4967		7	2	45	60	AeroCarbon-55mm	13	6,5	820	77%	4.522	23,17	654
4967		7	2	45	60	APC-E	15	8	820	77%	4.346	26,19	1225
4967		7	2	45	60	APC-E	16	8	820	77%	4.077	30,82	1529
4967		7	2	45	60	APC-E	17	8	820	77%	3.936	33,24	1664
4967		7	2	45	60	APC-E	17	10	820	77%	3.662	37,96	1562
4967		7	2	45	60	CFK-Folder	17	10	820	77%	3.635	38,41	1451
4967		7	2	45	60	CAM-Folder	18	10	820	77%	3.800	35,59	1443