



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4968	C 4240-10	10,5	3	40	50	APC-E	8	8	1035	82%	9.194	20,82	742
4968		10,5	3	40	50	Graupner-Slim	9	6	1035	82%	8.875	24,81	935
4968		10,5	3	40	50	AeroCarbon	9	6,5	1035	82%	9.147	21,41	735
4968		10,5	3	40	50	APC-E	9	7,5	1035	82%	8.958	23,76	1015
4968		10,5	3	40	50	APC-Sport	9	8	1035	82%	9.061	22,48	910
4968		10,5	3	40	50	APC-E	9	9	1035	82%	8.642	27,72	1057
4968		10,5	3	40	50	Aeronaut-E-Prop	9,5	7	1035	82%	9.114	21,82	1014
4968		10,5	3	40	50	APC-E	10	5	1035	82%	9.228	20,4	1223
4968		10,5	3	40	50	APC-Sport	10	5	1035	82%	9.141	21,48	1282
4968		10,5	3	40	50	Aeronaut-E-Prop	10	6	1035	82%	9.155	21,31	1145
4968		10,5	3	40	50	APC-Sport	10	6	1035	82%	9.032	22,84	1217
4968		10,5	3	40	50	AeroCarbon	10	7	1035	82%	8.955	23,81	1251
4968		10,5	3	40	50	Aeronaut-E-Prop	10	7	1035	82%	8.872	24,84	881
4968		10,5	3	40	50	APC-E	10	7	1035	82%	8.743	26,46	1237
4968		10,5	3	40	50	APC-Sport	10	7	1035	82%	8.840	25,24	1199
4968		10,5	3	40	50	AeroCAM	10	8	1035	82%	8.664	27,44	1328
4968		10,5	3	40	50	Aeronaut-E-Prop	10	8	1035	82%	8.410	30,62	1229
4968		10,5	3	40	50	APC-Sport	10	8	1035	82%	8.596	28,29	1199
4968		10,5	3	40	50	APC-Sport	10	9	1035	82%	8.292	32,09	1209
4968		10,5	3	40	50	APC-E	10	10	1035	82%	8.014	35,56	1201
4968		10,5	3	40	50	AeroCarbon	10,5	6	1035	82%	8.696	27,05	1052
4968		10,5	3	40	50	Aeronaut-E-Prop	10,5	6	1035	82%	8.799	25,75	1362
4968		10,5	3	40	50	Aeronaut-E-Prop	10,5	7	1035	82%	8.723	26,71	1289
4968		10,5	3	40	50	Aeronaut-E-Prop	10,5	8	1035	82%	8.566	28,66	1254
4968		10,5	3	40	50	Graupner-CAM	11	4	1035	82%	9.237	20,29	1208
4968		10,5	3	40	50	APC-E	11	5,5	1035	82%	8.665	27,43	1463
4968		10,5	3	40	50	APC-Sport	11	6	1035	82%	8.516	29,29	1582
4968		10,5	3	40	50	AeroCarbon	11	6,5	1035	82%	8.435	30,3	1219
4968		10,5	3	40	50	AeroCAM	11	7	1035	82%	8.385	30,93	1563
4968		10,5	3	40	50	APC-E	11	7	1035	82%	8.303	31,95	1545
4968		10,5	3	40	50	APC-Sport	11	7	1035	82%	8.070	34,87	1600
4968		10,5	3	40	50	AeroCAM	11	8	1035	82%	8.413	30,58	1720
4968		10,5	3	40	50	APC-E	11	8	1035	82%	8.045	35,18	1389
4968		10,5	3	40	50	APC-Sport	11	8	1035	82%	7.970	36,11	1495
4968		10,5	3	40	50	APC-E	11	8,5	1035	82%	8.135	34,06	1607
4968		10,5	3	40	50	AeroCarbon	11,5	7	1035	82%	8.171	33,61	1394
4968		10,5	3	40	50	Graupner-CAM	12	4	1035	82%	9.141	21,49	1301
4968		10,5	3	40	50	APC-Sport	12	6	1035	82%	8.028	35,39	1869
4968		10,5	3	40	50	AeroCAM	12	6,5	1035	82%	8.247	32,66	1923
4968		10,5	3	40	50	AeroCarbon	12	7	1035	82%	8.286	32,17	1652
4968		10,5	3	40	50	APC-Sport	12	7	1035	82%	7.830	37,87	0
4968		10,5	3	40	50	Graupner-CAM	12	7	1035	82%	8.600	28,24	1503
4968		10,5	3	40	50	AeroCAM	12	8	1035	82%	7.791	38,36	1971
4968		10,5	3	40	50	APC-E	12	8	1035	82%	7.780	38,5	1812
4968		10,5	3	40	50	Graupner-CAM	12,5	4	1035	82%	8.841	25,24	1523
4968		10,5	3	40	50	AeroCarbon	12,5	6,5	1035	82%	7.963	36,2	1663
4968		10,5	3	40	50	AeroCarbon	12,5	10	1035	82%	7.831	37,85	2144
4968		10,5	3	40	50	APC-E	13	4	1035	82%	8.307	31,91	1942
4968		10,5	3	40	50	APC-Sport	13	6	1035	82%	7.724	39,19	2219
4968		10,5	3	40	50	AeroCarbon-42mm	13	6,5	1035	82%	7.743	38,96	1792
4968		10,5	3	40	50	Graupner-CAM	14,5	4	1035	82%	7.938	36,51	2092
4968		10,5	3	40	50	GWS-HD	10	6	1035	82%	9.207	20,65	1194
4968		10,5	3	40	50	GWS-HD	11	7	1035	82%	8.527	29,16	1664
4968		10,5	3	40	50	GWS-HD	12	8	1035	82%	7.786	38,42	1974
4968		10,5	3	40	50	AeroCAM	11	6	1035	82%	8.568	28,65	1632
4968		10,5	3	40	50	APC-Sport	11	5	1035	82%	8.848	25,15	1583
4968		10,5	3	40	50	Graupner-CAM-45mm	11	6	1035	82%	8.712	26,85	1500
4968		10,5	3	40	50	AeroCAM-45mm	10	8	1035	82%	8.578	28,51	1328
4968		10,5	3	40	50	STO	9	4,3	1035	82%	9.200	20,74	1197
4968		10,5	3	40	50	AeroCAM-45mm	12	8	1035	82%	7.811	38,11	1908
4968		10,5	3	40	50	CFK-Folder-45mm	12	6	1035	82%	8.525	29,18	1740
4968		10,5	3	40	50	Graupner-CAM-45mm	10	6	1035	82%	9.189	20,88	1148
4968		10,5	3	40	50	Aeronaut-E-Prop	9	5	1035	82%	9.281	19,72	1073
4968		10,5	3	40	50	Graupner-CAM-55mm	10	6	1035	82%	9.008	23,14	1206
4968		10,5	3	40	50	AeroCAM-45mm	10	6	1035	82%	9.111	21,86	1220
4968		10,5	3	40	50	Graupner-CAM-50mm	10	6	1035	82%	8.759	26,26	1302
4968		10,5	3	40	50	AeroCarbon-45mm	10,5	6	1035	82%	8.696	27,05	1055
4968		10,5	3	40	50	Rasa	12	6	1035	82%	8.566	28,66	1692
4968		10,5	3	40	50	APC-E	12	6	1035	82%	8.084	34,69	1816
4968		10,5	3	40	50	EPP1045	10	4,5	1035	82%	8.404	30,69	1262
4968		10,5	3	40	50	Master-Aircscrew-std.-wood	10	7	1035	82%	8.588	28,39	1290
4968		10,5	3	40	50	Master-Aircscrew-std.-wood	10	8	1035	82%	8.379	31,01	1266
4968		10,5	3	40	50	Master-Aircscrew-std.-wood	11	7	1035	82%	8.124	34,19	1592
4968		10,5	3	40	50	APC-E	13	6	1035	82%	7.712	39,34	2106
4968		10,5	3	40	50	parkzone-T-28	9,5	7,5	1035	82%	8.785	25,93	1114
4968		7	2	40	50	APC-SF	9	7,5	1021	80%	6.086	16,6	614
4968		7	2	40	50	APC-SF	10	7	1021	80%	5.722	22,27	806
4968		7	2	40	50	Aeronaut-E-Prop	10	8	1021	80%	6.062	16,99	639
4968		7	2	40	50	APC-Sport	10	9	1021	80%	6.003	17,9	634



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4968		7	2	40	50	APC-E	10	10	1021	80%	5.834	20,53	650
4968		7	2	40	50	APC-Sport	11	6	1021	80%	6.116	16,14	825
4968		7	2	40	50	AeroCarbon	11	6,5	1021	80%	6.092	16,51	636
4968		7	2	40	50	AeroCAM	11	7	1021	80%	6.066	16,91	818
4968		7	2	40	50	APC-E	11	7	1021	80%	6.057	17,05	785
4968		7	2	40	50	APC-SF	11	7	1021	80%	5.542	25,07	974
4968		7	2	40	50	APC-Sport	11	7	1021	80%	5.889	19,67	852
4968		7	2	40	50	AeroCAM	11	8	1021	80%	6.050	17,16	890
4968		7	2	40	50	APC-E	11	8	1021	80%	5.925	19,1	770
4968		7	2	40	50	APC-Sport	11	8	1021	80%	5.853	20,23	806
4968		7	2	40	50	APC-E	11	8,5	1021	80%	6.025	17,55	819
4968		7	2	40	50	APC-E	11	10	1021	80%	5.495	25,8	827
4968		7	2	40	50	APC-Sport	11	11	1021	80%	5.474	26,13	799
4968		7	2	40	50	AeroCarbon	11,5	7	1021	80%	5.961	18,55	742
4968		7	2	40	50	APC-SF	12	6	1021	80%	5.269	29,32	1298
4968		7	2	40	50	APC-Sport	12	6	1021	80%	5.790	21,21	1049
4968		7	2	40	50	AeroCAM	12	6,5	1021	80%	5.999	17,96	1018
4968		7	2	40	50	AeroCarbon	12	7	1021	80%	6.019	17,65	871
4968		7	2	40	50	APC-Sport	12	7	1021	80%	5.764	21,62	0
4968		7	2	40	50	AeroCAM	12	8	1021	80%	5.742	21,95	1071
4968		7	2	40	50	APC-E	12	8	1021	80%	5.743	21,94	1000
4968		7	2	40	50	APC-Sport	12	8	1021	80%	5.514	25,5	0
4968		7	2	40	50	AeroCAM	12	9	1021	80%	5.549	24,96	1082
4968		7	2	40	50	APC-Sport	12	9	1021	80%	5.615	23,94	932
4968		7	2	40	50	APC-E	12	10	1021	80%	5.320	28,53	773
4968		7	2	40	50	APC-Sport	12	10	1021	80%	5.339	28,23	965
4968		7	2	40	50	APC-E	12	12	1021	80%	5.023	33,14	943
4968		7	2	40	50	AeroCarbon	12,5	6,5	1021	80%	5.854	20,21	899
4968		7	2	40	50	AeroCAM	12,5	7,5	1021	80%	5.547	24,99	1046
4968		7	2	40	50	AeroCarbon	12,5	10	1021	80%	5.785	21,29	1170
4968		7	2	40	50	APC-E	13	4	1021	80%	6.057	17,06	969
4968		7	2	40	50	APC-Sport	13	6	1021	80%	5.707	22,51	1211
4968		7	2	40	50	AeroCarbon-42mm	13	6,5	1021	80%	5.738	22,02	984
4968		7	2	40	50	APC-E	13	6,5	1021	80%	5.615	23,94	1057
4968		7	2	40	50	APC-Sport	13	7	1021	80%	5.560	24,79	1182
4968		7	2	40	50	Graupner-CAM	13	7	1021	80%	5.679	22,94	953
4968		7	2	40	50	AeroCAM	13	8	1021	80%	5.608	24,05	1334
4968		7	2	40	50	APC-E	13	8	1021	80%	5.494	25,82	1145
4968		7	2	40	50	APC-Sport	13	8	1021	80%	5.394	27,37	1167
4968		7	2	40	50	APC-E	13	10	1021	80%	5.162	30,99	987
4968		7	2	40	50	APC-Sport	13	10	1021	80%	4.965	34,05	1154
4968		7	2	40	50	AeroCAM	13	11	1021	80%	5.122	31,6	1376
4968		7	2	40	50	APC-Sport	13	12	1021	80%	4.931	34,58	1061
4968		7	2	40	50	APC-Sport	13	13	1021	80%	4.707	38,07	1054
4968		7	2	40	50	AeroCarbon	13,5	7	1021	80%	5.460	26,34	1062
4968		7	2	40	50	AeroCarbon	14	7	1021	80%	5.266	29,36	1115
4968		7	2	40	50	APC-E	14	7	1021	80%	5.293	28,94	1264
4968		7	2	40	50	AeroCAM	14	8	1021	80%	4.925	34,67	1317
4968		7	2	40	50	APC-Sport	14	8	1021	80%	5.087	32,15	1373
4968		7	2	40	50	AeroCAM	14	9	1021	80%	4.756	37,3	1329
4968		7	2	40	50	APC-E	14	10	1021	80%	4.838	36,02	1181
4968		7	2	40	50	APC-Sport	14	10	1021	80%	4.681	38,46	1319
4968		7	2	40	50	Graupner-CAM	14,5	4	1021	80%	5.838	20,47	1094
4968		7	2	40	50	AeroCAM	15	8	1021	80%	4.917	34,79	1652
4968		7	2	40	50	APC-Sport	15	8	1021	80%	4.767	37,13	1579
4968		7	2	40	50	AeroCarbon	15	9,5	1021	80%	4.925	34,67	1505
4968		7	2	40	50	AeroCAM	16	8	1021	80%	4.711	38,01	1880
4968		7	2	40	50	GWS-HD	11	7	1021	80%	6.116	16,14	837
4968		7	2	40	50	GWS-HD	12	8	1021	80%	5.747	21,89	1061
4968		7	2	40	50	Graupner-CAM-55mm	13	7	1021	80%	5.556	24,85	966
4968		7	2	40	50	AeroCAM-45mm	12	8	1021	80%	5.769	21,53	1041
4968		7	2	40	50	CFK-Folder-45mm	12	6	1021	80%	6.118	16,11	896
4968		7	2	40	50	AeroCAM-60mm	13	8	1021	80%	5.397	27,32	1355
4968		7	2	40	50	AeroCAM-60mm	12	10	1021	80%	5.072	32,39	1011
4968		7	2	40	50	AeroCAM-55mm	13	8	1021	80%	5.396	27,34	1321
4968		7	2	40	50	Graupner-CAM-52mm	13	7	1021	80%	5.567	24,69	976
4968		7	2	40	50	Graupner-CAM-52mm	13	11	1021	80%	5.060	32,56	1080
4968		7	2	40	50	Graupner-CAM-45mm	12	10	1021	80%	5.267	29,34	983
4968		7	2	40	50	Graupner-CAM-45mm	11	8	1021	80%	6.128	15,95	697
4968		7	2	40	50	Graupner-CAM-45mm	10	8	1021	80%	5.917	19,23	690
4968		7	2	40	50	AeroCAM-45mm	12	10	1021	80%	5.432	26,78	923
4968		7	2	40	50	APC-E	12	6	1021	80%	5.980	18,26	947
4968		7	2	40	50	AeroCAM-3-Blade	15	8	1021	80%	4.641	39,1	2059
4968		7	2	40	50	APC-E	14	8,5	1021	80%	5.271	29,29	1256
4968		7	2	40	50	APC-Pattern	13	9	1021	80%	5.337	28,26	1115
4968		7	2	40	50	APC-E-v2	12	10	1021	80%	5.409	27,13	801
4968		7	2	40	50	AeroCarbon-55mm	13	6,5	1021	80%	5.001	33,49	800
4968		7	2	40	50	EPP1045	10	4,5	1021	80%	6.063	16,97	636
4968		7	2	40	50	Master-Aircscrew-std.-wood	10	8	1021	80%	6.046	17,23	659



Brushless Motors

No.	Motorname	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
4968		7	2	40	50	Master-Aircscrew-std.-wood	11	7	1021	80%	5.917	19,24	844
4968		7	2	40	50	APC-E	15	8	1021	80%	4.767	37,13	1474
4968		7	2	40	50	APC-E	13	6	1021	80%	5.700	22,61	1150
4968		14	4	40	50	APC-E	8	6	1034	83%	12.073	26,67	1284
4968		14	4	40	50	Graupner-Slim	8	6	1034	83%	12.429	22,79	1099
4968		14	4	40	50	APC-E	8	8	1034	83%	11.516	32,72	1197
4968		14	4	40	50	Aeronaut-E-Prop	8,5	7	1034	83%	12.153	25,8	1211
4968		14	4	40	50	APC-E	9	4,5	1034	83%	12.316	24,02	1585
4968		14	4	40	50	AeroCAM	9	5	1034	83%	12.297	24,23	1376
4968		14	4	40	50	Graupner-Slim	9	6	1034	83%	11.036	37,95	1437
4968		14	4	40	50	AeroCarbon	9	6,5	1034	83%	11.487	33,04	1159
4968		14	4	40	50	APC-E	9	7,5	1034	83%	11.260	35,52	1652
4968		14	4	40	50	APC-Sport	9	8	1034	83%	11.381	34,2	1434
4968		14	4	40	50	AeroCAM	9,5	5	1034	83%	11.899	28,56	1543
4968		14	4	40	50	AeroCarbon	9,5	5	1034	83%	12.192	25,37	1311
4968		14	4	40	50	Aeronaut-E-Prop	9,5	5	1034	83%	11.987	27,61	1701
4968		14	4	40	50	Aeronaut-E-Prop	9,5	6	1034	83%	11.888	28,68	1726
4968		14	4	40	50	Aeronaut-E-Prop	9,5	7	1034	83%	11.467	33,26	1606
4968		14	4	40	50	APC-E	10	5	1034	83%	11.574	32,1	1982
4968		14	4	40	50	APC-Sport	10	5	1034	83%	11.513	32,76	2033
4968		14	4	40	50	AeroCAM	10	6	1034	83%	11.734	30,36	2010
4968		14	4	40	50	Aeronaut-E-Prop	10	6	1034	83%	11.534	32,53	1818
4968		14	4	40	50	APC-Sport	10	6	1034	83%	11.338	34,67	1916
4968		14	4	40	50	AeroCarbon	10	7	1034	83%	11.289	35,2	2058
4968		14	4	40	50	Aeronaut-E-Prop	10	7	1034	83%	11.077	37,5	1369
4968		14	4	40	50	APC-Sport	10	7	1034	83%	11.026	38,06	1865
4968		14	4	40	50	Aeronaut-E-Prop	10,5	6	1034	83%	10.962	38,76	2116
4968		14	4	40	50	Graupner-CAM	11	4	1034	83%	11.654	31,23	1928
4968		14	4	40	50	Graupner-CAM	12	4	1034	83%	11.439	33,56	2116
4968		14	4	40	50	Graupner-CAM	12,5	4	1034	83%	10.926	39,15	2407
4968		14	4	40	50	Graupner-Slim	8	4	1034	83%	12.429	22,79	918
4968		14	4	40	50	APC-Sport	11	5	1034	83%	11.038	37,93	2464
4968		14	4	40	50	STO	9	4,3	1034	83%	11.608	31,72	1906
4968		14	4	40	50	AeroCAM-45mm	9	5	1034	83%	11.898	28,57	1317
4968		14	4	40	50	Aeronaut-E-Prop	9	5	1034	83%	11.743	30,25	1718
4968		14	4	40	50	Graupner-CAM-55mm	8	6	1034	83%	11.998	27,48	1267
4968		14	4	40	50	Graupner-CAM-55mm	10	6	1034	83%	11.295	35,13	1897
4968		14	4	40	50	AeroCAM-55mm	9	5	1034	83%	11.839	29,22	1397
4968		14	4	40	50	CFK-Folder	6	6	1034	83%	11.888	28,68	945
4968		14	4	40	50	AeroCAM-45mm	10	6	1034	83%	11.462	33,31	1931
4968		14	4	40	50	Aeronaut-glass	9,5	5	1034	83%	12.114	26,22	1521
4968		14	4	40	50	APC-E	9	6	1034	83%	11.795	29,69	1652
4968		14	4	40	50	AeroCarbon	9,5	5	1034	83%	12.388	23,23	1378
4968		14	4	40	50	AeroCAM	9	7	1034	83%	11.775	29,91	1457
4968		14	4	40	50	Graupner-CAM-Folder	9	6	1034	83%	12.161	25,71	1438