



Brushless Motors

No.	Motorname	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
4969	C 4240-12	10,5	3	35	40	Graupner-Slim	9	6	863	81%	7.691	15,91	705
4969		10,5	3	35	40	APC-E	9	7,5	863	81%	7.724	15,51	740
4969		10,5	3	35	40	APC-E	9	9	863	81%	7.496	18,2	778
4969		10,5	3	35	40	AeroCarbon	10	7	863	81%	7.711	15,67	907
4969		10,5	3	35	40	Aeronaut-E-Prop	10	7	863	81%	7.676	16,09	661
4969		10,5	3	35	40	APC-E	10	7	863	81%	7.608	16,89	923
4969		10,5	3	35	40	APC-Sport	10	7	863	81%	7.653	16,35	899
4969		10,5	3	35	40	AeroCAM	10	8	863	81%	7.537	17,72	1005
4969		10,5	3	35	40	Aeronaut-E-Prop	10	8	863	81%	7.340	20,03	937
4969		10,5	3	35	40	APC-Sport	10	8	863	81%	7.477	18,43	907
4969		10,5	3	35	40	APC-Sport	10	9	863	81%	7.253	21,06	925
4969		10,5	3	35	40	APC-E	10	10	863	81%	7.030	23,69	932
4969		10,5	3	35	40	AeroCarbon	10,5	6	863	81%	7.560	17,45	795
4969		10,5	3	35	40	Aeronaut-E-Prop	10,5	6	863	81%	7.624	16,7	1022
4969		10,5	3	35	40	Aeronaut-E-Prop	10,5	7	863	81%	7.569	17,35	970
4969		10,5	3	35	40	Aeronaut-E-Prop	10,5	8	863	81%	7.455	18,68	950
4969		10,5	3	35	40	APC-E	11	5,5	863	81%	7.550	17,57	1099
4969		10,5	3	35	40	APC-Sport	11	6	863	81%	7.420	19,1	1207
4969		10,5	3	35	40	AeroCarbon	11	6,5	863	81%	7.370	19,68	931
4969		10,5	3	35	40	AeroCAM	11	7	863	81%	7.333	20,12	1195
4969		10,5	3	35	40	APC-E	11	7	863	81%	7.292	20,6	1169
4969		10,5	3	35	40	APC-Sport	11	7	863	81%	7.087	23,01	1234
4969		10,5	3	35	40	AeroCAM	11	8	863	81%	7.335	20,1	1308
4969		10,5	3	35	40	APC-E	11	8	863	81%	7.098	22,89	1091
4969		10,5	3	35	40	APC-Sport	11	8	863	81%	7.021	23,79	1161
4969		10,5	3	35	40	APC-E	11	8,5	863	81%	7.198	21,7	1221
4969		10,5	3	35	40	APC-E	11	10	863	81%	6.482	30,14	1176
4969		10,5	3	35	40	APC-Sport	11	11	863	81%	6.497	29,95	1126
4969		10,5	3	35	40	AeroCarbon	11,5	7	863	81%	7.175	21,98	1075
4969		10,5	3	35	40	APC-Sport	12	6	863	81%	7.010	23,92	1470
4969		10,5	3	35	40	AeroCAM	12	6,5	863	81%	7.231	21,32	1479
4969		10,5	3	35	40	AeroCarbon	12	7	863	81%	7.260	20,97	1268
4969		10,5	3	35	40	APC-Sport	12	7	863	81%	6.906	25,15	0
4969		10,5	3	35	40	Graupner-CAM	12	7	863	81%	7.488	18,3	1114
4969		10,5	3	35	40	AeroCAM	12	8	863	81%	6.876	25,5	1536
4969		10,5	3	35	40	APC-E	12	8	863	81%	6.871	25,55	1421
4969		10,5	3	35	40	APC-Sport	12	8	863	81%	6.553	29,3	0
4969		10,5	3	35	40	AeroCAM	12	9	863	81%	6.583	28,94	1523
4969		10,5	3	35	40	APC-Sport	12	9	863	81%	6.693	27,65	1324
4969		10,5	3	35	40	APC-E	12	10	863	81%	6.239	32,99	1082
4969		10,5	3	35	40	APC-Sport	12	10	863	81%	6.309	32,17	1349
4969		10,5	3	35	40	Graupner-CAM	12,5	4	863	81%	7.683	16	1124
4969		10,5	3	35	40	AeroCarbon	12,5	6,5	863	81%	7.019	23,82	1292
4969		10,5	3	35	40	AeroCAM	12,5	7,5	863	81%	6.621	28,5	1506
4969		10,5	3	35	40	AeroCarbon	12,5	10	863	81%	6.919	24,99	1674
4969		10,5	3	35	40	APC-E	13	4	863	81%	7.293	20,59	1458
4969		10,5	3	35	40	APC-Sport	13	6	863	81%	6.825	26,1	1732
4969		10,5	3	35	40	AeroCarbon-42mm	13	6,5	863	81%	6.851	25,79	1403
4969		10,5	3	35	40	APC-E	13	6,5	863	81%	6.637	28,31	1486
4969		10,5	3	35	40	APC-Sport	13	7	863	81%	6.617	28,54	1678
4969		10,5	3	35	40	Graupner-CAM	13	7	863	81%	6.767	26,79	1376
4969		10,5	3	35	40	AeroCAM	13	8	863	81%	6.666	27,97	1885
4969		10,5	3	35	40	APC-E	13	8	863	81%	6.479	30,17	1668
4969		10,5	3	35	40	APC-Sport	13	8	863	81%	6.389	31,23	1634
4969		10,5	3	35	40	AeroCarbon	13,5	7	863	81%	6.460	30,39	1487
4969		10,5	3	35	40	AeroCarbon	14	7	863	81%	6.193	33,54	1542
4969		10,5	3	35	40	APC-E	14	7	863	81%	6.231	33,09	1797
4969		10,5	3	35	40	Graupner-CAM	14,5	4	863	81%	6.998	24,06	1604
4969		10,5	3	35	40	GWS-HD	11	7	863	81%	7.424	19,05	1250
4969		10,5	3	35	40	GWS-HD	12	8	863	81%	6.876	25,5	1531
4969		10,5	3	35	40	AeroCAM	11	6	863	81%	7.456	18,67	1236
4969		10,5	3	35	40	APC-Sport	11	5	863	81%	7.658	16,29	1186
4969		10,5	3	35	40	Graupner-CAM-55mm	13	7	863	81%	6.612	28,61	1368
4969		10,5	3	35	40	Graupner-CAM-45mm	11	6	863	81%	7.561	17,44	1130
4969		10,5	3	35	40	AeroCAM-45mm	10	8	863	81%	7.464	18,58	1005
4969		10,5	3	35	40	AeroCAM-45mm	12	8	863	81%	6.901	25,21	1489
4969		10,5	3	35	40	CFK-Folder-45mm	12	6	863	81%	7.425	19,04	1320
4969		10,5	3	35	40	AeroCAM-60mm	13	8	863	81%	6.391	31,21	1900
4969		10,5	3	35	40	AeroCAM-55mm	13	8	863	81%	6.389	31,22	1852
4969		10,5	3	35	40	Graupner-CAM-52mm	13	7	863	81%	6.627	28,43	1383
4969		10,5	3	35	40	Graupner-CAM-45mm	12	10	863	81%	6.213	33,3	1368
4969		10,5	3	35	40	Graupner-CAM-45mm	10	8	863	81%	7.128	22,53	1002
4969		10,5	3	35	40	Graupner-CAM-50mm	10	6	863	81%	7.595	17,04	978
4969		10,5	3	35	40	AeroCarbon-45mm	10,5	6	863	81%	7.560	17,45	798
4969		10,5	3	35	40	AeroCAM-45mm	12	10	863	81%	6.439	30,64	1297
4969		10,5	3	35	40	Rasa	12	6	863	81%	7.455	18,68	1281
4969		10,5	3	35	40	APC-E	12	6	863	81%	7.148	22,3	1392
4969		10,5	3	35	40	APC-E	14	8,5	863	81%	6.172	33,78	1722
4969		10,5	3	35	40	APC-Pattern	13	9	863	81%	6.308	32,19	1558
4969		10,5	3	35	40	APC-E-v2	12	10	863	81%	6.396	31,15	1140
4969		10,5	3	35	40	EPP1045	10	4,5	863	81%	7.339	20,05	949
4969		10,5	3	35	40	Master-Aircscrew-std.-wood	10	7	863	81%	7.471	18,49	976



Brushless Motors

No.	Motorname	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
4969		10,5	3	35	40	Master-Aircscrew-std.-wood	10	8	863	81%	7.317	20,3	966
4969		10,5	3	35	40	Master-Aircscrew-std.-wood	11	7	863	81%	7.128	22,54	1225
4969		10,5	3	35	40	APC-E	13	6	863	81%	6.816	26,21	1645
4969		10,5	3	35	40	parkzone-T-28	9,5	7,5	863	81%	7.640	16,51	827
4969		14	4	35	40	APC-E	8	8	871	82%	10.067	21	900
4969		14	4	35	40	Graupner-Slim	9	6	871	82%	9.702	24,82	1114
4969		14	4	35	40	AeroCarbon	9	6,5	871	82%	10.026	21,44	883
4969		14	4	35	40	APC-E	9	7,5	871	82%	9.827	23,52	1236
4969		14	4	35	40	APC-Sport	9	8	871	82%	9.934	22,4	1094
4969		14	4	35	40	APC-E	9	9	871	82%	9.458	27,37	1285
4969		14	4	35	40	AeroCAM	9,5	5	871	82%	10.318	18,39	1160
4969		14	4	35	40	Aeronaut-E-Prop	9,5	6	871	82%	10.297	18,6	1268
4969		14	4	35	40	Aeronaut-E-Prop	9,5	7	871	82%	9.996	21,74	1220
4969		14	4	35	40	APC-E	10	5	871	82%	10.108	20,58	1485
4969		14	4	35	40	APC-Sport	10	5	871	82%	10.029	21,41	1543
4969		14	4	35	40	AeroCAM	10	6	871	82%	10.201	19,6	1520
4969		14	4	35	40	Aeronaut-E-Prop	10	6	871	82%	10.045	21,24	1379
4969		14	4	35	40	APC-Sport	10	6	871	82%	9.901	22,74	1462
4969		14	4	35	40	AeroCarbon	10	7	871	82%	9.833	23,45	1529
4969		14	4	35	40	Aeronaut-E-Prop	10	7	871	82%	9.712	24,71	1055
4969		14	4	35	40	APC-E	10	7	871	82%	9.536	26,55	1485
4969		14	4	35	40	APC-Sport	10	7	871	82%	9.675	25,1	1436
4969		14	4	35	40	AeroCAM	10	8	871	82%	9.459	27,36	1583
4969		14	4	35	40	Aeronaut-E-Prop	10	8	871	82%	9.175	30,33	1463
4969		14	4	35	40	APC-Sport	10	8	871	82%	9.391	28,07	1431
4969		14	4	35	40	APC-Sport	10	9	871	82%	9.039	31,75	1437
4969		14	4	35	40	AeroCarbon	10,5	6	871	82%	9.495	26,98	1254
4969		14	4	35	40	Aeronaut-E-Prop	10,5	6	871	82%	9.627	25,6	1631
4969		14	4	35	40	Aeronaut-E-Prop	10,5	7	871	82%	9.538	26,53	1540
4969		14	4	35	40	Aeronaut-E-Prop	10,5	8	871	82%	9.356	28,44	1497
4969		14	4	35	40	Graupner-CAM	11	4	871	82%	10.137	20,28	1456
4969		14	4	35	40	APC-E	11	5,5	871	82%	9.447	27,48	1751
4969		14	4	35	40	APC-Sport	11	6	871	82%	9.296	29,06	1880
4969		14	4	35	40	AeroCarbon	11	6,5	871	82%	9.193	30,15	1448
4969		14	4	35	40	AeroCAM	11	7	871	82%	9.136	30,74	1856
4969		14	4	35	40	APC-E	11	7	871	82%	9.021	31,94	1845
4969		14	4	35	40	AeroCAM	11	8	871	82%	9.187	30,21	2051
4969		14	4	35	40	AeroCarbon	11,5	7	871	82%	8.887	33,34	1649
4969		14	4	35	40	Graupner-CAM	12	4	871	82%	10.007	21,63	1583
4969		14	4	35	40	AeroCAM	12	6,5	871	82%	8.975	32,42	2278
4969		14	4	35	40	AeroCarbon	12	7	871	82%	9.020	31,95	1957
4969		14	4	35	40	Graupner-CAM	12	7	871	82%	9.386	28,12	1817
4969		14	4	35	40	Graupner-CAM	12,5	4	871	82%	9.645	25,42	1838
4969		14	4	35	40	APC-E	13	4	871	82%	9.027	31,88	2331
4969		14	4	35	40	AeroCAM	11	6	871	82%	9.358	28,42	1947
4969		14	4	35	40	APC-Sport	11	5	871	82%	9.684	25,01	1896
4969		14	4	35	40	Graupner-CAM-45mm	11	6	871	82%	9.525	26,67	1793
4969		14	4	35	40	AeroCAM-45mm	10	8	871	82%	9.370	28,29	1584
4969		14	4	35	40	STO	9	4,3	871	82%	10.098	20,68	1442
4969		14	4	35	40	CFK-Folder-45mm	12	6	871	82%	9.308	28,94	2075
4969		14	4	35	40	AeroCAM-45mm	9	5	871	82%	10.304	18,54	987
4969		14	4	35	40	Aeronaut-E-Prop	9	5	871	82%	10.194	19,68	1294
4969		14	4	35	40	Graupner-CAM-55mm	10	6	871	82%	9.872	23,05	1449
4969		14	4	35	40	AeroCAM-55mm	9	5	871	82%	10.262	18,97	1049
4969		14	4	35	40	CFK-Folder	6	6	871	82%	10.297	18,6	709
4969		14	4	35	40	AeroCAM-45mm	10	6	871	82%	9.993	21,78	1468
4969		14	4	35	40	Graupner-CAM-50mm	10	6	871	82%	9.580	26,1	1557
4969		14	4	35	40	AeroCarbon-45mm	10,5	6	871	82%	9.495	26,98	1258
4969		14	4	35	40	Rasa	12	6	871	82%	9.356	28,44	2018
4969		14	4	35	40	APC-E	9	6	871	82%	10.242	19,18	1241
4969		14	4	35	40	EPP1045	10	4,5	871	82%	9.166	30,43	1513
4969		14	4	35	40	Master-Aircscrew-std.-wood	10	7	871	82%	9.382	28,17	1539
4969		14	4	35	40	Master-Aircscrew-std.-wood	10	8	871	82%	9.139	30,71	1506
4969		14	4	35	40	Master-Aircscrew-std.-wood	11	7	871	82%	8.845	33,78	1887
4969		14	4	35	40	AeroCAM	9	7	871	82%	10.217	19,44	1097
4969		14	4	35	40	parkzone-T-28	9,5	7,5	871	82%	9.584	26,05	1341
4969		7	2	35	40	APC-SF	10	7	853	79%	4.986	14,17	605
4969		7	2	35	40	APC-E	10	10	853	79%	5.039	13,42	490
4969		7	2	35	40	APC-SF	11	7	853	79%	4.866	15,85	725
4969		7	2	35	40	APC-Sport	11	7	853	79%	5.089	12,72	636
4969		7	2	35	40	APC-E	11	8	853	79%	5.133	12,11	584
4969		7	2	35	40	APC-Sport	11	8	853	79%	5.068	13,02	605
4969		7	2	35	40	APC-E	11	10	853	79%	4.812	16,6	623
4969		7	2	35	40	APC-Sport	11	11	853	79%	4.776	17,1	608
4969		7	2	35	40	APC-SF	12	3,8	853	79%	5.010	13,83	773
4969		7	2	35	40	APC-SF	12	6	853	79%	4.649	18,9	966



Brushless Motors

No.	Motorname	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
4969		7	2	35	40	APC-Sport	12	6	853	79%	4.988	14,14	806
4969		7	2	35	40	GWS-RS	12	6	853	79%	4.873	15,74	931
4969		7	2	35	40	APC-Sport	12	7	853	79%	4.996	14,03	0
4969		7	2	35	40	AeroCAM	12	8	853	79%	4.980	14,25	805
4969		7	2	35	40	APC-E	12	8	853	79%	4.983	14,21	757
4969		7	2	35	40	APC-Sport	12	8	853	79%	4.807	16,67	0
4969		7	2	35	40	AeroCAM	12	9	853	79%	4.842	16,19	824
4969		7	2	35	40	APC-Sport	12	9	853	79%	4.884	15,6	705
4969		7	2	35	40	APC-E	12	10	853	79%	4.678	18,48	590
4969		7	2	35	40	APC-Sport	12	10	853	79%	4.673	18,56	739
4969		7	2	35	40	APC-E	12	12	853	79%	4.415	22,18	734
4969		7	2	35	40	AeroCarbon	12,5	6,5	853	79%	5.070	12,99	674
4969		7	2	35	40	AeroCAM	12,5	7,5	853	79%	4.822	16,46	785
4969		7	2	35	40	AeroCarbon	12,5	10	853	79%	5.019	13,7	881
4969		7	2	35	40	APC-Sport	13	6	853	79%	4.953	14,63	912
4969		7	2	35	40	AeroCarbon-42mm	13	6,5	853	79%	4.984	14,2	743
4969		7	2	35	40	APC-E	13	6,5	853	79%	4.908	15,26	804
4969		7	2	35	40	APC-Sport	13	7	853	79%	4.842	16,18	894
4969		7	2	35	40	Graupner-CAM	13	7	853	79%	4.939	14,82	712
4969		7	2	35	40	AeroCAM	13	8	853	79%	4.886	15,57	1013
4969		7	2	35	40	APC-E	13	8	853	79%	4.811	16,62	847
4969		7	2	35	40	APC-Sport	13	8	853	79%	4.714	17,97	892
4969		7	2	35	40	APC-E	13	10	853	79%	4.556	20,2	763
4969		7	2	35	40	APC-Sport	13	10	853	79%	4.380	22,67	898
4969		7	2	35	40	AeroCAM	13	11	853	79%	4.512	20,81	1068
4969		7	2	35	40	APC-Sport	13	12	853	79%	4.353	23,05	827
4969		7	2	35	40	APC-Sport	13	13	853	79%	4.155	25,82	821
4969		7	2	35	40	AeroCarbon	13,5	7	853	79%	4.774	17,14	812
4969		7	2	35	40	APC-Sport	13,5	14	853	79%	4.038	27,46	862
4969		7	2	35	40	AeroCarbon	14	7	853	79%	4.625	19,23	860
4969		7	2	35	40	APC-E	14	7	853	79%	4.645	18,95	954
4969		7	2	35	40	AeroCAM	14	8	853	79%	4.357	22,99	1031
4969		7	2	35	40	APC-Sport	14	8	853	79%	4.476	21,32	1063
4969		7	2	35	40	AeroCAM	14	9	853	79%	4.222	24,88	1047
4969		7	2	35	40	AeroCAM	14	10	853	79%	4.073	26,97	1045
4969		7	2	35	40	APC-E	14	10	853	79%	4.300	23,78	938
4969		7	2	35	40	APC-Sport	14	10	853	79%	4.153	25,84	1038
4969		7	2	35	40	APC-Sport	14	12	853	79%	4.023	27,67	976
4969		7	2	35	40	APC-Sport	14	14	853	79%	3.689	32,36	950
4969		7	2	35	40	Graupner-CAM	14,5	4	853	79%	5.057	13,18	808
4969		7	2	35	40	AeroCAM	15	8	853	79%	4.351	23,07	1294
4969		7	2	35	40	APC-Sport	15	8	853	79%	4.222	24,88	1239
4969		7	2	35	40	AeroCarbon	15	9,5	853	79%	4.357	22,99	1178
4969		7	2	35	40	AeroCAM	15	10	853	79%	4.037	27,47	1292
4969		7	2	35	40	APC-Sport	15	10	853	79%	3.997	28,04	1164
4969		7	2	35	40	AeroCAM	15	13	853	79%	3.691	32,32	1287
4969		7	2	35	40	APC-Sport	15	13	853	79%	3.749	31,52	1062
4969		7	2	35	40	AeroCAM	16	8	853	79%	4.185	25,39	1484
4969		7	2	35	40	APC-Sport	16	8	853	79%	3.950	28,69	1415
4969		7	2	35	40	AeroCAM	16	10	853	79%	3.874	29,76	1476
4969		7	2	35	40	APC-Sport	16	10	853	79%	3.769	31,24	1302
4969		7	2	35	40	APC-Sport	16	12	853	79%	3.681	32,46	1250
4969		7	2	35	40	AeroCAM	16	13	853	79%	3.602	33,58	1519
4969		7	2	35	40	AeroCAM	17	9	853	79%	3.782	31,04	1605
4969		7	2	35	40	APC-Sport	18	6	853	79%	3.797	30,84	1652
4969		7	2	35	40	AeroCarbon	18	8	853	79%	3.957	28,6	1590
4969		7	2	35	40	GWS-HD	12	8	853	79%	4.985	14,18	793
4969		7	2	35	40	AeroCAM-55mm	16	8	853	79%	3.814	30,61	1305
4969		7	2	35	40	Graupner-CAM-55mm	13	7	853	79%	4.839	16,23	733
4969		7	2	35	40	AeroCAM-45mm	12	8	853	79%	5.006	13,89	784
4969		7	2	35	40	AeroCAM-60mm	13	8	853	79%	4.718	17,93	1035
4969		7	2	35	40	AeroCAM-60mm	12	10	853	79%	4.464	21,49	783
4969		7	2	35	40	AeroCAM-55mm	13	8	853	79%	4.717	17,94	1009
4969		7	2	35	40	Graupner-CAM-52mm	13	7	853	79%	4.847	16,12	740
4969		7	2	35	40	Graupner-CAM-52mm	13	11	853	79%	4.455	21,61	837
4969		7	2	35	40	Graupner-CAM-52mm	14	12	853	79%	3.758	31,39	1018
4969		7	2	35	40	AeroCAM-47mm	14	12	853	79%	3.879	29,69	1000
4969		7	2	35	40	Graupner-CAM-45mm	12	10	853	79%	4.617	19,34	755
4969		7	2	35	40	Graupner-CAM-45mm	10	8	853	79%	5.110	12,43	515
4969		7	2	35	40	AeroCAM-45mm	12	10	853	79%	4.744	17,56	704
4969		7	2	35	40	Mejzlik-Carbon	16	8	853	79%	3.961	28,53	1385
4969		7	2	35	40	AeroCAM-3-Blade	15	8	853	79%	4.120	26,31	1623
4969		7	2	35	40	APC-E	14	8,5	853	79%	4.640	19,02	973
4969		7	2	35	40	APC-Pattern	13	9	853	79%	4.671	18,59	854
4969		7	2	35	40	APC-E-v2	12	10	853	79%	4.732	17,73	604
4969		7	2	35	40	AeroCarbon-55mm	13	6,5	853	79%	4.421	22,09	625
4969		7	2	35	40	Master-Aircscrew-std.-wood	11	7	853	79%	5.110	12,43	630
4969		7	2	35	40	APC-E	15	8	853	79%	4.222	24,88	1156
4969		7	2	35	40	APC-E	16	8	853	79%	3.928	29	1420
4969		7	2	35	40	APC-E	17	8	853	79%	3.777	31,12	1532
4969		7	2	35	40	APC-E	13	6	853	79%	4.948	14,7	867
4969		7	2	35	40	CAM-Folder	18	10	853	79%	3.635	33,12	1312