



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)	
498112	C 3535-12	10,5	3	30	40	Aeronaut-E-Prop	7	7	1503	79%	13.749	26,93	767	
498112		10,5	3	30	40	AeroCAM	8	5	1503	79%	13.514	29,55	1122	
498112		10,5	3	30	40	Aeronaut-E-Prop	8,5	5	1503	79%	13.744	26,98	1178	
498112		10,5	3	30	40	AeroCarbon	9	5	1503	79%	13.522	29,46	1347	
498112		10,5	3	30	40	AeroCarbon-55mm	7	6	1503	79%	13.649	28,04	628	
498112		10,5	3	30	40	APC-E	7	6	1503	79%	13.604	28,54	916	
498112		7	2	30	40	APC-E	8	6	1505	77%	8.973	22,05	664	
498112		7	2	30	40	Graupner-Slim	8	6	1505	77%	9.119	20,27	596	
498112		7	2	30	40	APC-E	8	8	1505	77%	8.562	27,1	638	
498112		7	2	30	40	Aeronaut-E-Prop	8,5	7	1505	77%	8.964	22,17	659	
498112		7	2	30	40	APC-E	9	4,5	1505	77%	9.153	19,84	839	
498112		7	2	30	40	AeroCAM	9	5	1505	77%	9.101	20,49	754	
498112		7	2	30	40	GWS-HD	9	5	1505	77%	9.201	19,26	865	
498112		7	2	30	40	AeroCarbon	9	6,5	1505	77%	8.492	27,96	633	
498112		7	2	30	40	APC-Sport	9	8	1505	77%	8.377	29,36	779	
498112		7	2	30	40	AeroCAM	9,5	5	1505	77%	8.801	24,16	844	
498112		7	2	30	40	AeroCarbon	9,5	5	1505	77%	9.022	21,46	718	
498112		7	2	30	40	Aeronaut-E-Prop	9,5	5	1505	77%	8.837	23,72	924	
498112		7	2	30	40	Aeronaut-E-Prop	9,5	6	1505	77%	8.762	24,64	897	
498112		7	2	30	40	Aeronaut-E-Prop	9,5	7	1505	77%	8.443	28,56	870	
498112		7	2	30	40	APC-E	10	5	1505	77%	8.603	26,59	1053	
498112		7	2	30	40	APC-Sport	10	5	1505	77%	8.476	28,15	1102	
498112		7	2	30	40	AeroCAM	10	6	1505	77%	8.677	25,69	1099	
498112		7	2	30	40	Aeronaut-E-Prop	10	6	1505	77%	8.494	27,94	985	
498112		7	2	30	40	APC-Sport	10	6	1505	77%	8.342	29,8	1038	
498112		7	2	30	40	Graupner-CAM	11	4	1505	77%	8.599	26,64	1046	
498112		7	2	30	40	Graupner-CAM	12	4	1505	77%	8.493	27,94	1109	
498112		7	2	30	40	GWS-HD	10	6	1505	77%	8.562	27,09	1030	
498112		7	2	30	40	Graupner-Slim	8	4	1505	77%	9.119	20,27	474	
498112		7	2	30	40	STO	9	4,3	1505	77%	8.550	27,25	1033	
498112		7	2	30	40	Graupner-CAM-45mm	8	6	1505	77%	9.073	20,82	649	
498112		7	2	30	40	Graupner-CAM-45mm	9	6	1505	77%	8.869	23,33	799	
498112		7	2	30	40	Graupner-CAM-45mm	10	6	1505	77%	8.536	27,42	991	
498112		7	2	30	40	Aero-Glass	9,5	5	1505	77%	9.101	20,48	858	
498112		7	2	30	40	AeroCAM-45mm	9	5	1505	77%	8.770	24,55	715	
498112		7	2	30	40	Aeronaut-E-Prop	9	5	1505	77%	8.652	25,99	932	
498112		7	2	30	40	Graupner-CAM-55mm	8	6	1505	77%	8.846	23,61	689	
498112		7	2	30	40	AeroCAM-55mm	9	5	1505	77%	8.725	25,1	759	
498112		7	2	30	40	CFK-Folder	6	6	1505	77%	8.762	24,64	513	
498112		7	2	30	40	AeroCAM-45mm	10	6	1505	77%	8.439	28,61	1047	
498112		7	2	30	40	Aeronaut-glass	9,5	5	1505	77%	8.934	22,53	827	
498112		7	2	30	40	APC-E	9	6	1505	77%	8.717	25,19	895	
498112		7	2	30	40	AeroCarbon	9,5	5	1505	77%	9.144	19,96	752	
498112		7	2	30	40	AeroCAM	9	7	1505	77%	8.676	25,69	791	
498112		7	2	30	40	Graupner-CAM-Folder	9	6	1505	77%	8.970	22,09	782	
498116		C 3535-16	10,5	3	25	35	APC-SF	8	6	867	79%	7.976	13,33	691
498116			10,5	3	25	35	APC-E	8	8	867	79%	7.957	13,54	547
498116			10,5	3	25	35	Graupner-Slim	9	6	867	79%	7.690	16,42	705
498116			10,5	3	25	35	AeroCarbon	9	6,5	867	79%	7.904	14,11	549
498116			10,5	3	25	35	APC-E	9	7,5	867	79%	7.728	16,01	741
498116			10,5	3	25	35	APC-Sport	9	8	867	79%	7.825	14,96	680
498116			10,5	3	25	35	APC-E	9	9	867	79%	7.471	18,79	772
498116			10,5	3	25	35	Aeronaut-E-Prop	9,5	7	867	79%	7.867	14,51	755
498116			10,5	3	25	35	APC-E	10	5	867	79%	7.983	13,26	898
498116	10,5		3	25	35	APC-Sport	10	5	867	79%	7.889	14,27	955	
498116	10,5		3	25	35	Aeronaut-E-Prop	10	6	867	79%	7.900	14,15	852	
498116	10,5		3	25	35	APC-Sport	10	6	867	79%	7.801	15,22	908	
498116	10,5		3	25	35	AeroCarbon	10	7	867	79%	7.714	16,17	908	
498116	10,5		3	25	35	Aeronaut-E-Prop	10	7	867	79%	7.673	16,61	661	
498116	10,5		3	25	35	APC-E	10	7	867	79%	7.597	17,43	920	
498116	10,5		3	25	35	APC-Sport	10	7	867	79%	7.648	16,88	897	
498116	10,5		3	25	35	AeroCAM	10	8	867	79%	7.518	18,29	1000	
498116	10,5		3	25	35	Aeronaut-E-Prop	10	8	867	79%	7.299	20,65	926	
498116	10,5		3	25	35	APC-Sport	10	8	867	79%	7.450	19,02	900	
498116	10,5		3	25	35	APC-Sport	10	9	867	79%	7.203	21,69	912	
498116	10,5		3	25	35	APC-E	10	10	867	79%	6.956	24,36	914	
498116	10,5		3	25	35	AeroCarbon	10,5	6	867	79%	7.543	18,01	791	
498116	10,5		3	25	35	Aeronaut-E-Prop	10,5	6	867	79%	7.614	17,24	1020	
498116	10,5		3	25	35	Aeronaut-E-Prop	10,5	7	867	79%	7.553	17,91	966	
498116	10,5		3	25	35	Aeronaut-E-Prop	10,5	8	867	79%	7.426	19,28	942	
498116	10,5		3	25	35	Graupner-CAM	11	4	867	79%	7.970	13,39	898	
498116	10,5		3	25	35	APC-E	11	5,5	867	79%	7.532	18,13	1094	
498116	10,5		3	25	35	APC-Sport	11	6	867	79%	7.387	19,7	1196	
498116	10,5		3	25	35	AeroCarbon	11	6,5	867	79%	7.332	20,29	921	
498116	10,5		3	25	35	AeroCAM	11	7	867	79%	7.291	20,74	1182	
498116	10,5		3	25	35	APC-E	11	7	867	79%	7.247	21,22	1153	
498116	10,5		3	25	35	APC-Sport	11	7	867	79%	7.020	23,67	1211	
498116	10,5		3	25	35	AeroCAM	11	8	867	79%	7.292	20,73	1292	



Brushless Motors

No.	Motormame	Spannung	Li Zellen	Imax (5Min)	Imax (60 sek.)	Propeller	Durchm.	Steigung	Umin / Volt	Eta max	U / min	Laststrom	Schub (g)
498116		10,5	3	25	35	APC-E	11	8	867	79%	7.034	23,51	1072
498116		10,5	3	25	35	APC-Sport	11	8	867	79%	6.949	24,43	1137
498116		10,5	3	25	35	APC-E	11	8,5	867	79%	7.146	22,3	1201
498116		10,5	3	25	35	AeroCarbon	11,5	7	867	79%	7.117	22,62	1057
498116		10,5	3	25	35	Graupner-CAM	12	4	867	79%	7.911	14,03	951
498116		10,5	3	25	35	APC-Sport	12	6	867	79%	6.932	24,62	1442
498116		10,5	3	25	35	AeroCAM	12	6,5	867	79%	7.179	21,95	1458
498116		10,5	3	25	35	AeroCarbon	12	7	867	79%	7.211	21,6	1251
498116		10,5	3	25	35	Graupner-CAM	12	7	867	79%	7.463	18,88	1106
498116		10,5	3	25	35	Graupner-CAM	12,5	4	867	79%	7.681	16,52	1124
498116		10,5	3	25	35	AeroCarbon	12,5	6,5	867	79%	6.947	24,46	1266
498116		10,5	3	25	35	APC-E	13	4	867	79%	7.248	21,21	1439
498116		10,5	3	25	35	Graupner-CAM	14,5	4	867	79%	6.924	24,71	1568
498116		10,5	3	25	35	GWS-HD	10	6	867	79%	7.946	13,65	885
498116		10,5	3	25	35	GWS-HD	11	7	867	79%	7.392	19,65	1239
498116		10,5	3	25	35	AeroCAM	11	6	867	79%	7.427	19,27	1226
498116		10,5	3	25	35	APC-Sport	11	5	867	79%	7.653	16,82	1185
498116		10,5	3	25	35	Graupner-CAM-45mm	11	6	867	79%	7.544	18	1125
498116		10,5	3	25	35	AeroCAM-45mm	10	8	867	79%	7.436	19,17	998
498116		10,5	3	25	35	STO	9	4,3	867	79%	7.936	13,76	890
498116		10,5	3	25	35	CFK-Folder-45mm	12	6	867	79%	7.392	19,64	1309
498116		10,5	3	25	35	Graupner-CAM-45mm	10	6	867	79%	7.927	13,86	855
498116		10,5	3	25	35	Aeronaut-E-Prop	9	5	867	79%	8.001	13,06	797
498116		10,5	3	25	35	Graupner-CAM-55mm	10	6	867	79%	7.782	15,42	901
498116		10,5	3	25	35	Graupner-CAM-45mm	10	8	867	79%	7.065	23,18	984
498116		10,5	3	25	35	AeroCAM-45mm	10	6	867	79%	7.865	14,53	909
498116		10,5	3	25	35	Graupner-CAM-50mm	10	6	867	79%	7.582	17,59	975
498116		10,5	3	25	35	AeroCarbon-45mm	10,5	6	867	79%	7.543	18,01	794
498116		10,5	3	25	35	Rasa	12	6	867	79%	7.426	19,28	1271
498116		10,5	3	25	35	APC-E	12	6	867	79%	7.090	22,91	1368
498116		10,5	3	25	35	EPPI045	10	4,5	867	79%	7.297	20,68	938
498116		10,5	3	25	35	Master-Aircscrew-std.-wood	10	7	867	79%	7.444	19,09	969
498116		10,5	3	25	35	Master-Aircscrew-std.-wood	10	8	867	79%	7.273	20,93	954
498116		10,5	3	25	35	Master-Aircscrew-std.-wood	11	7	867	79%	7.065	23,19	1204
498116		10,5	3	25	35	AeroCAM	9	7	867	79%	8.016	12,89	675
498116		10,5	3	25	35	parkzone-T-28	9,5	7,5	867	79%	7.633	17,04	825
498116		7	2	25	35	APC-SF	9	7,5	861	78%	5.225	10,38	447
498116		7	2	25	35	APC-E	9	9	861	78%	5.247	10,11	360
498116		7	2	25	35	APC-SF	10	7	861	78%	4.925	14,14	590
498116		7	2	25	35	Aeronaut-E-Prop	10	8	861	78%	5.181	10,94	467
498116		7	2	25	35	APC-Sport	10	8	861	78%	5.256	9,99	448
498116		7	2	25	35	GWS-RS	10	8	861	78%	5.200	10,7	637
498116		7	2	25	35	APC-Sport	10	9	861	78%	5.132	11,55	463
498116		7	2	25	35	APC-E	10	10	861	78%	4.981	13,44	479
498116		7	2	25	35	Aeronaut-E-Prop	10,5	8	861	78%	5.244	10,14	469
498116		7	2	25	35	APC-SF	11	4,7	861	78%	5.218	10,47	679
498116		7	2	25	35	GWS-RS	11	4,7	861	78%	5.114	11,77	668
498116		7	2	25	35	APC-Sport	11	6	861	78%	5.227	10,36	606
498116		7	2	25	35	AeroCarbon	11	6,5	861	78%	5.214	10,53	466
498116		7	2	25	35	AeroCAM	11	7	861	78%	5.191	10,81	599
498116		7	2	25	35	APC-E	11	7	861	78%	5.197	10,74	565
498116		7	2	25	35	APC-SF	11	7	861	78%	4.795	15,77	701
498116		7	2	25	35	APC-Sport	11	7	861	78%	5.038	12,72	623
498116		7	2	25	35	AeroCAM	11	8	861	78%	5.166	11,12	649
498116		7	2	25	35	APC-E	11	8	861	78%	5.088	12,1	574
498116		7	2	25	35	APC-Sport	11	8	861	78%	5.014	13,02	592
498116		7	2	25	35	APC-E	11	8,5	861	78%	5.191	10,81	586
498116		7	2	25	35	APC-E	11	10	861	78%	4.734	16,53	601
498116		7	2	25	35	APC-Sport	11	11	861	78%	4.692	17,05	587
498116		7	2	25	35	AeroCarbon	11,5	7	861	78%	5.105	11,88	544
498116		7	2	25	35	APC-SF	12	3,8	861	78%	4.954	13,77	752
498116		7	2	25	35	APC-SF	12	6	861	78%	4.558	18,73	922
498116		7	2	25	35	APC-Sport	12	6	861	78%	4.922	14,17	788
498116		7	2	25	35	GWS-RS	12	6	861	78%	4.798	15,73	902
498116		7	2	25	35	AeroCAM	12	6,5	861	78%	5.137	11,49	746
498116		7	2	25	35	AeroCarbon	12	7	861	78%	5.153	11,29	639
498116		7	2	25	35	APC-Sport	12	7	861	78%	4.934	14,03	0
498116		7	2	25	35	Graupner-CAM	12	7	861	78%	5.274	9,77	521
498116		7	2	25	35	AeroCAM	12	8	861	78%	4.916	14,25	785
498116		7	2	25	35	APC-E	12	8	861	78%	4.920	14,2	738
498116		7	2	25	35	APC-Sport	12	8	861	78%	4.726	16,63	0
498116		7	2	25	35	AeroCAM	12	9	861	78%	4.764	16,15	798
498116		7	2	25	35	APC-Sport	12	9	861	78%	4.810	15,58	684
498116		7	2	25	35	APC-E	12	10	861	78%	4.588	18,35	566
498116		7	2	25	35	APC-Sport	12	10	861	78%	4.580	18,46	709
498116		7	2	25	35	APC-E	12	12	861	78%	4.300	21,96	698
498116		7	2	25	35	AeroCarbon	12,5	6,5	861	78%	5.017	12,98	660
498116		7	2	25	35	AeroCAM	12,5	7,5	861	78%	4.741	16,44	758
498116		7	2	25	35	AeroCarbon	12,5	10	861	78%	4.960	13,7	860
498116		7	2	25	35	APC-E	13	4	861	78%	5.195	10,76	692
498116		7	2	25	35	APC-Sport	13	6	861	78%	4.886	14,63	888
498116		7	2	25	35	AeroCarbon-42mm	13	6,5	861	78%	4.921	14,19	724
498116		7	2	25	35	APC-E	13	6,5	861	78%	4.839	15,21	781
498116		7	2	25	35	APC-Sport	13	7	861	78%	4.764	16,15	866
498116		7	2	25	35	Graupner-CAM	13	7	861	78%	4.872	14,8	691
498116		7	2	25	35	AeroCAM	13	8	861	78%	4.813	15,54	983



Brushless Motors

No.	Motorname	Spannung	Li Zellen	I _{max} (5Min)	I _{max} (60 sek.)	Propeller	Durchm.	Steigung	U _{min} / Volt	Eta max	U / min	Laststrom	Schub (g)
498116		7	2	25	35	APC-E	13	8	861	78%	4.733	16,55	816
498116		7	2	25	35	APC-Sport	13	8	861	78%	4.624	17,9	859
498116		7	2	25	35	APC-E	13	10	861	78%	4.457	20	729
498116		7	2	25	35	APC-Sport	13	10	861	78%	4.265	22,39	852
498116		7	2	25	35	AeroCAM	13	11	861	78%	4.408	20,61	1019
498116		7	2	25	35	APC-Sport	13	12	861	78%	4.236	22,76	783
498116		7	2	25	35	AeroCarbon	13,5	7	861	78%	4.691	17,07	784
498116		7	2	25	35	AeroCarbon	14	7	861	78%	4.529	19,1	825
498116		7	2	25	35	APC-E	14	7	861	78%	4.551	18,82	913
498116		7	2	25	35	AeroCAM	14	8	861	78%	4.243	22,67	977
498116		7	2	25	35	APC-Sport	14	8	861	78%	4.368	21,11	1012
498116		7	2	25	35	AeroCAM	14	9	861	78%	4.101	24,46	988
498116		7	2	25	35	APC-E	14	10	861	78%	4.186	23,38	890
498116		7	2	25	35	Graupner-CAM	14,5	4	861	78%	5.002	13,18	790
498116		7	2	25	35	AeroCAM	15	8	861	78%	4.236	22,76	1226
498116		7	2	25	35	APC-Sport	15	8	861	78%	4.099	24,48	1167
498116		7	2	25	35	AeroCarbon	15	9,5	861	78%	4.243	22,67	1117
498116		7	2	25	35	AeroCarbon	16	8	861	78%	4.062	24,93	1398
498116		7	2	25	35	GWS-HD	11	7	861	78%	5.225	10,39	605
498116		7	2	25	35	GWS-HD	12	8	861	78%	4.922	14,17	773
498116		7	2	25	35	AeroCAM	11	6	861	78%	5.245	10,14	612
498116		7	2	25	35	Graupner-CAM-55mm	13	7	861	78%	4.761	16,2	709
498116		7	2	25	35	AeroCAM-45mm	10	8	861	78%	5.249	10,08	497
498116		7	2	25	35	AeroCAM-45mm	12	8	861	78%	4.945	13,89	765
498116		7	2	25	35	CFK-Folder-45mm	12	6	861	78%	5.228	10,35	654
498116		7	2	25	35	AeroCAM-60mm	13	8	861	78%	4.628	17,86	996
498116		7	2	25	35	AeroCAM-60mm	12	10	861	78%	4.355	21,27	745
498116		7	2	25	35	AeroCAM-55mm	13	8	861	78%	4.627	17,87	971
498116		7	2	25	35	Graupner-CAM-52mm	13	7	861	78%	4.769	16,09	717
498116		7	2	25	35	Graupner-CAM-52mm	13	11	861	78%	4.345	21,39	796
498116		7	2	25	35	Graupner-CAM-45mm	12	10	861	78%	4.519	19,22	723
498116		7	2	25	35	Graupner-CAM-45mm	11	8	861	78%	5.236	10,25	509
498116		7	2	25	35	Graupner-CAM-45mm	10	8	861	78%	5.061	12,44	505
498116		7	2	25	35	AeroCAM-45mm	12	10	861	78%	4.657	17,49	678
498116		7	2	25	35	Rasa	12	6	861	78%	5.244	10,14	634
498116		7	2	25	35	APC-E	12	6	861	78%	5.146	11,37	685
498116		7	2	25	35	APC-E	14	8,5	861	78%	4.548	18,86	935
498116		7	2	25	35	APC-Pattern	13	9	861	78%	4.577	18,49	820
498116		7	2	25	35	APC-E-v2	12	10	861	78%	4.644	17,65	581
498116		7	2	25	35	AeroCarbon-55mm	13	6,5	861	78%	4.311	21,82	594
498116		7	2	25	35	EPP1045	10	4,5	861	78%	5.183	10,91	458
498116		7	2	25	35	Master-Aircscrew-std.-wood	10	7	861	78%	5.253	10,03	482
498116		7	2	25	35	Master-Aircscrew-std.-wood	10	8	861	78%	5.168	11,1	482
498116		7	2	25	35	Master-Aircscrew-std.-wood	11	7	861	78%	5.061	12,44	618
498116		7	2	25	35	APC-E	15	8	861	78%	4.099	24,48	1089
498116		7	2	25	35	APC-E	13	6	861	78%	4.881	14,69	843